Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

C. C. REED LT., U.S.N.

Attached to
_____ Division,
SERVICE SQUADRON THREE Squadron,
_____ Flotilla,
U. S. PACIFIC FLEET Fleet,
_____ Naval District,

Commencing -9INDIA 1 JULY (zone time and date), 1963,

at SASEBO, JAPAN (location),

and ending -9INDIA 31 JULY (zone time and date), 1963,

at NAHA, OKINAWA (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19____
(Day) (Date) (Month)

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE MONDAY (Day) 1 (Date) July (Month), 19 63

AT/~~PASSAGE~~ FROM SASEBO JAPAN ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	3	BKN	2986	75	74	8	800	ST			
02	040	5	3	BKN	2986	75	74	8	800	ST			
03	040	5	3	BKN	2986	75	74	8	800	ST			
04	040	5	3	BKN	2986	76	74	8	800	ST			
05	040	5	4	BKN	2986	76	74	8	1000	ST			
06	040	5	5	BKN	2985	77	74	8	1000	ST			
07	040	5	6	BKN	2985	77	74	8	1000	ST			
08	040	5	7	BKN	2985	78	75	8	1000	ST			
09	040	5	7	BKN	2985	78	75	8	1000	ST			
10	040	5	7	BKN	2985	78	75	8	1000	ST			
11	040	5	7	BKN	2985	79	76	8	1000	ST			
12	040	5	7	BKN	2985	79	76	8	1000	ST			
13	040	5	7	BKN	2985	80	77	8	1000	ST			
14	040	5	7	BKN	2984	80	77	8	1000	ST			
15	040	5	7	BKN	2984	79	77	8	1000	ST			
16	040	5	7	OVC	2984	79	77	9	1000	ST			
17	040	5	7	OVC	2984	79	76	9	1000	ST			
18	040	4	7	OVC	2984	77	75	9	1000	ST			
19	330	4	7	OVC	2984	77	75	9	1000	ST			
20	330	4	5	OVC	2984	75	73	10	700	ST			
21	330	4	5	OVC	2984	75	73	10	700	ST			
22	320	5	4	OVC	2984	74	72	10	700	ST			
23	320	4	3	OVC	2984	74	72	10	700	ST			
24	335	4	3	R	2984	73	71	10	700	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 718

REMARKS

00-04 Moored starboard side to USS Sunbird Hoase. Water point with Standard mooring lines doubled. USS Deliver (ARS-23) is moored alongside to port. Receiving fresh water and telephone service from they pier. Material Condetion Yoke modified ig set. Ships present include units of the US Pacific Fleet, units of Japanese Navy and various merchant vessels. SOPA. is COMSERVRON Three.

A M Turner End1 USN

04-08. Moored as before. 0745 Mustered the crew at quarters: absentees: none.

A M Turner End1 USN

APPROVED: CC Reed Lt U.S.N. COMMANDING

EXAMINED: R D Moore, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 1 (Date) JULY (Month) 19 63

0800-1200 MOORED AS BEFORE.

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE. 1203 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 1300 PURSANT TO COMMANDING OFFICERS ORDERS, DEININGER, RAYMOND H. EMR 486-56-56 DEPARTED THIS SHIP TO REPORT TO SENIOR SHORE PATROL OFFICER SASEBO, JAPAN TAD.

J E Horton
LTJG USN.

1600-2000 MOORED AS BEFORE 1800 MATERIAL CONDITION YOKE MODIFIED SET.

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Horton
LTJG USN.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Rosen, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE TUESDAY (Day) 2 (Date) JULY (Month), 19 63.

AT/~~PASSAGE FROM~~ SASEBO, JAPAN ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	335	4	3	OVC	2984	73	71	10	700	ST			
02	350	4	3	OVC	2984	77	74	10	1000	ST			
03	020	4	3	OVC	2983	78	77	10	400	ST			
04	050	4	5	BKN	2982	79	78	7	400	ST			
05	050	4	7	BKN	2982	79	78	7	400	ST			
06	040	4	7	BKN	2981	78	76	7	700	ST			
07	050	4	7	BKN	2982	79	77	7	700	ST			
08	040	4	7	BKN	2983	79	77	7	700	ST			
09	040	4	7	BKN	2983	79	77	8	700	ST			
10	040	5	7	BKN	2984	80	77	8	1000	ST			
11	050	5	7	BKN	2985	80	77	8	1000	ST			
12	045	4	8	BKN	2986	80	76	9	1300	ST			
13	045	4	8	BKN	2986	80	75	9	1700	ST			
14	—	—	8	R	2986	78	75	10	1000	ST			
15	—	—	8	BKN	2986	80	76	9	1400	ST			
16	090	5	8	OVC	2986	79	77	10	700	ST			
17	090	5	8	OVC	2987	79	77	10	700	ST			
18	090	5	6	OVC	2986	77	75	10	700	ST			
19	090	5	6	OVC	2986	77	75	10	700	ST			
20	090	6	6	OVC	2986	77	75	10	700	ST			
21	080	6	6	OVC	2986	77	75	10	700	ST			
22	060	5	4	OVC	2985	76	74	10	700	ST			
23	050	3	4	OVC	2986	76	74	10	700	ST			
24	—	—	4	R	2986	75	74	10	400	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 199

REMARKS

00-04 MOORED STARBOARD SIDE TO, OUT BOARD USS SURF BIRD (ADG-383) HARASE WATER POINT, SASEBO JAPAN, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, JAPANESE NAVY, AND YARD CRAFT. SOPA IS COMCARDIV FIVE/CTG 77.4 IN USS CONSTELLATION (CVA 64)
DO45 DENNIGER RAYMOND H- EMR 486-56-5C RETURNED TO SHIP-HAVING COMPLETED TAD DUTY AS STORE PATROL

LC Horton
LTJG USN

04-08 MOORED AS BEFORE 0745 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

LC Horton
LTJG USN.

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: DD Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 2 (Date) JULY (Month) 1963

08-12 MOORED AS before. 0850 MADE daily INSPECTION OF MAGAZINES AND SMOKELESS powder SAMPLES.

R D Mason
Stfg, USNR

12-16. MOORED AS before. 1330 PURSUANT TO THE ORDERS OF THE COMMANDING OFFICER, GREEN, J. B. 522 69 10, EM3, USN left THE SHIP TO report TO SHORE PATROL Headquarters, Sasebo, Japan for TAD.

R D Mason
Stfg, USNR

16-20 MOORED AS before.

R D Mason
Stfg, USNR

20-24. MOORED AS before.

R D Mason
Stfg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Stfg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9 I DATE WEDNESDAY (Day) 3 (Date) JULY (Month), 1963

AT/~~PASSAGE FROM~~ SASEBO, JAPAN TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	320	2	5	BKN	2986	75	74	8	400	Sc			
02	—	—	5	R	2986	75	74	9	400	ST			
03	—	—	5	R	2986	75	74	9	400	ST			
04	090	1	5	OVC	2986	75	74	10	400	ST			
05	090	1	5	OVC	2986	74	74	10	400	ST			
06	090	1	5	OVC	2986	76	75	10	400	ST			
07	—	—	5	R	2986	76	75	10	400	ST			
08	100	10	5	R	2985	75	74	10	400	ST			
09	100	13	5	L	2985	74	73	10	400	ST			
10	100	14	5	L	2984	73	72	10	400	ST			
11	100	13	5	L	2983	74	73	10	400	ST			
12	090	4	10	L	2982	75	74	10	400	ST	74	CALM	
13	130	2	10	OVC	2980	77	75	10	800	ST	74	CALM	
14	130	4	10	OVC	2980	79	75	10	1200	ST	74	CALM	
15	140	5	10	BKN	2979	78	76	8	800	Sc	74	CALM	
16	140	6	10	SCT	2978	79	78	5	400	Sc	74	CALM	
17	150	5	10	SCT	2978	80	76	5	1400	Sc	74	CALM	
18	150	5	9	BKN	2978	78	76	6	800	ST	74	CALM	
19	150	5	9	BKN	2979	78	76	8	800	ST	74	CALM	
20	130	2	8	BKN	2980	76	75	8	400	Sc	74	CALM	
21	180	7	8	BKN	2980	76	75	8	400	Sc	74	CALM	
22	175	7	8	BKN	2980	75	74	8	400	Sc	74	CALM	
23	180	8	8	BKN	2980	75	74	8	400	Sc	74	CALM	
24	180	10	8	BKN	2980	75	74	8	400	Sc	72	CALM	

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L 33-15 N		BY 3
λ 129-11.2E		BY 3
2000		
L 33°-36'N		BY 4
λ 128°-29'E		BY 4

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 116.8

FUEL CONSUMED 0000-2400: 1047

REMARKS

00-04 MOORED STARBOARD SIDE TO, OUT BOARD USS SURFBIRD (ADG-383) HIRASE WATER POINT, SASEBO, JAPAN, WITH STANDARD MOORING LINES doubled. MATERIAL CONDITION YOKE ~~UNDER~~ (MODIFIED) IS SET. RECEIVING FRESH WATER FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, JAPANESE NAVY, AND YARD CRAFT. SOPA IS COMCARDIV 5 / CTG 77.4. EMBARKED USS CONSTELLATION (CVA-64). 0050 GREENE, J.B. 522 69 10, EM3, USN RETURNED TO THE SHIP HAVING COMPLETED TAD AS SHORE PATROL.

R J Nason
Lt(jg), USNR

04-08 0700 COMMENCED PREPARATIONS FOR GETTING UNDER WAY. 0740 SET SPECIAL SEA AND ANCHOR DETAIL. COMPLETED PREPARATIONS FOR GETTING UNDER WAY. DRAFT 14' 2" FWD, 16' 1" AFT. 0745 MUSTERED THE CREW ON STATIONS ABSENTees: NONE. 0758 UNDERWAY ~~FOR~~ OP-AREA GOLF IN ACCORDANCE WITH PLAN APPROVED: CTG 54.4 MSG 280701Z of JUNE 1963 EXAMINED: R D Nason Lt(jg), USNR
CAPTAIN AND NAVIGATOR ON THE BRIDGE.

C C Reed IV U.S.N. COMMANDING

R D Nason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 3 (Date) JULY (Month), 19 63

0801 Commenced steering various courses at various speeds while standing out of Sasebo Harbor Channel Ø8-12. Underway as before. 0901 passed buoy number one abeam to stbd approx 100 ft. Course 274° Speed ~~4.5~~ 7.7 Kts ; Ø943 C/S to 9.5 KTS, 0945 secured special Sea and Anchor detail. Ø9Ø6 C/C 282° ; Ø911 C/C 247, C/S 10.1 Kts, 0913 C/S 11.3 Kts, Ø915 C/S 9.5 Kts, 0916 C/S 6.7 Kts, 0921 C/C 280°, 0922 C/S 3.3 Kts, 0924 C/S 1.2 Kts, 0933 C/S 6.7 KTS, 0934 C/C 274° C/S 8.9 Kts, 0937 C/C 281, 0942 C/S 10.1 KTS Ø943 C/S 11.2 KTS, 0950 Made daily inspection of magazines and Smokeless powder samples, Conditions normal. 0959 C/S 13.3 Kts ; 1002 Captain has the Conn C/S 6.7 Kts, C/S 9.5 Kts, 1003 OOD has the Conn. 1005 C/S 10.1 Kts 1006 C/S 9.5 KT 1ØØ9 C/S 10.1 Kts, 1011 C/S 11.3 Kts, 1Ø15 C/S 11.8 Kts, 1Ø17 C/S 12.3 Kts ; 1100 C/C 350° 11Ø5 C/C 340° 1111 C/S 9.5 Kts 1112 C/S 10.8 Kts, C/S 11.8 Kts, 1113 C/C 333° 1132 C/C 345°

Tom Turner Ens USN

12-16 UNDERWAY AS BEFORE 1214 C/C TO 312° 1224 C/C TO 302° 1235 C/C 312° 1312 C/C TO 345° 1315 C/S TO 13.3 KNTS 1323 C/C TO 340° 1324 C/C TO 320° 1325 C/C TO 312° 1330 C/S 12.3 KNTS 1359 VEERED TARGET TOW WIRE TO 3600 FT 1401 C/C TO 320° C/S TO 9.5 KNTS 1413 C/S TO 6.7 KNTS 1423 C/S TO 10.1 KNTS. 1424 USS POWELL (DD 686) COMMENCED GUNNERY EXERCISE Z-21-G 1438 USS POWELL (DD 686) COMPLETED Z21G 1439 C/S TO 6.7 KNTS. 1445 USS BUCK (DD 761) COMMENCED Z21 G EXERCISE C/S TO 10.1 KNTS 1512 USS BUCK (DD 761) COMPLETED Z-21G 1514 C/S TO 6.7 KNOTS 1525 USS KNOX (DDR 742) COMMENCED EXERCISE Z-21-G C/S TO 10.1 KNOTS. 1532 USS KNOX (DDR-742) COMPLETED Z-21-G. 1533 C/S TO 6.7 KNOTS 1557 C/C TO 340° C/S TO 10.1 KNOTS. USS BUCK (DD 761) COMMENCED EXERCISE Z-23G

JE Horton
LTJG USN

16-18 UNDERWAY AS BEFORE. 1606 C/C 230°. C/S 6.7 Kts. 1607 Completed Z-23-G Exercise with USS BUCK (DD 761). 1630 Target sled being hauled in. 1643 C/C 230°. target at 300 feet and on the brake. 1633 C/S 3.3 Kts, 1655 C/S 6.7 Kts. 1712 C/C 245°. 1719 C/C 230°. 1726 Relieved by DeLorme BM1 of Deckfoom.

Jal Hallis. CWO2. USN

18-20 UNDER WAY AS BEFORE

FJK DeLorme BM1 USN

20-24 underway as before 2035 C/050°

Tom Turner Ens USN

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RD Mason, Jr Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE THURSDAY (Day) 4 (Date) JULY (Month), 19 63

~~AT~~/PASSAGE FROM SASEBO JAPAN TO LOCAL OP AREA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	190	10	10	BKN	2979	75	74	7	400	CU	70	CALM	
02	190	10	10	BKN	2979	75	74	7	400	CU	70	CALM	
03	180	5	10	OVC	2977	75	74	10	400	SC	70	CALM	
04	180	6	10	OVC	2976	76	74	10	700	SC	70	CALM	
05	180	6	10	BKN	2975	76	75	9	400	SC	70	175	1
06	180	6	10	BKN	2974	76	75	9	400	SC	70	175	1
07	180	7	10	BKN	2974	76	75	9	400	SC	70	200	1
08	180	12	10	BKN	2974	78	76	9	700	SC	70	200	1
09	180	11	10	BKN	2974	80	78	9	700	SC	70	200	1
10	170	10	10	BKN	2973	80	77	9	1000	SC	70	200	1
11	170	10	10	BKN	2972	78	76	9	700	SC	70	205	1
12	170	10	10	BKN	2972	78	76	8	700	SC	70	205	1
13	170	10	10	BKN	2972	78	76	8	700	SC	70	205	1
14	165	8	8	OVC	2972	74	76	10	700	ST	70	CALM	
15	165	8	8	OVC	2972	79	76	10	1000	ST	70	CALM	
16	165	8	8	L	2970	78	76	10	700	ST			
17	170	8	8	L	2968	78	76	10	700	ST			
18	170	7	8	R	2968	78	76	10	700	ST			
19	180	7	5	R	2968	78	77	10	400	ST			
20	190	5	5	R	2965	78	77	10	400	ST			
21	190	5	5	R	2964	78	77	10	400	ST			
22	195	5	5	R	2963	77	76	10	400	ST			
23	195	5	5	R	2963	77	76	10	400	ST			
24	200	5	5	R	2963	77	76	10	400	ST			

POSITION	ZONE	TIME
0800 L 33-24N	BY	3
λ 128-35E	BY	3
1200 L 33-24.5N	BY	3
λ 129-08.5E	BY	3
2000 L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 124.7

FUEL CONSUMED 0000-2400: 1492

REMARKS

ØØ-Ø4 STEAMING INDEPENDENTLY IN OP-AREA GOLF, SASEBO JAPAN IN ACCORDANCE WITH CTG 54.4 280701Z of JUNE 1963 WITH TARGET SLED 60-500, IN TOW ON 6ØØ FT OF WIRE. BASE COURSE Ø5Ø° BASE SPEED 6.7 KNOTS. MATERIAL CONDITION MODIFIED YOKE, READINESS CONDITION V, ENGINEERING CONDITION III, DAMAGE CONTROL CONDITION III SET. ØØ25 SIGHTED KO SAKI LIGHT BEARING Ø5Ø° Ø1ØØ C/C TO 197°

JE Hatton
LTJG USN.

Ø4-08 Underway as before. 0613 C/C 245°. 0655 C/S 7.7 Kts. 0659 C/S 8.9 Kts. 0703 C/S 9.5 Kts. 0709 C/C 230°. ~~0738~~ 0735 C/C 320°. 0738 Commenced veering target sled to 3600 feet. 0745 tested ship General, Chemical and steering alarms. Test Satisfactory. 0756 C/C 050°. 0758 Made daily inspection of magazines + smokeless powder samples, condition normal. C/S 12.3 Kts.

Jd Hollis AWO2 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 4 (Date) JULY (Month), 1963

08-12 Underway as before: 0800 muster the Crew on Stations. Absentees: None. 0826 COMMENCED EXERCISE Z 21 G WITH DDR 742 0831 C/S 9.5 KTS. C/S 12.3 KTS. 0832 Z 21 G COMPLETED 0833 C/S 9.5 KTS. 0845 C/S 12.3 KTS COMMENCED Z 21 G WITH DD 718 0901 C/S 9.5 KTS C/S 12.3 KTS 0902 C/S 9.5 KTS. 0906 C/S 6.7 KTS. 0908 C/S 9.5 KTS. 0909 C/S 12.3 KTS. 0910 C/C 030°T 0918 COMMENCED Z 23 G WITH DDR 742 0919 Z 23 G COMPLETED 0920 C/C 050°T C/S 12.3 KTS. 0922 C/S 9.5 KTS. 0923 C/S 6.7 KTS. 0938 C/S 9.5 KTS. C/C 030°T 0939 COMMENCED Z 23 G WITH DD 718 0939 C/S 12.3 KTS C/C 050°T 0940 C/S 6.7 KTS Z 23 G COMPLETED 0955 C/S 9.5 KTS. C/C 030°T 0956 C/S 12.3 KTS COMMENCED Z 23 G WITH DD 718 0958 Z 23 G COMPLETED 1000 C/S 9.5 KTS C/C 050°T 1001 C/S 6.7 KTS. 1004 C/S 9.5 KTS. 1013 C/S 12.3 KTS. 1014 COMMENCED Z 21 G WITH DD 718 1023 Z 21 G COMPLETED C/S 9.5 KTS. 1032 C/C 143°T 1033 COMMENCED HEAVING IN TARGET TO 600 FT. 1050 TARGET AT 600 FT. 1054 C/S 11.3 KTS. 1058 C/S 12.3 KTS. 1104 C/S 12.8 KTS.

J A DeJoune BM1 USN

12-16 Underway as before. 1227 C/C 155°, 1328 C/S 6.7 KTS 1335 C/S 9.5 KTS, 1336 C/S 11.8 KTS, 1338 C/S 12.8 KTS, 1357 C/C 102° 1459 C/C 095°, C/C 102°, 1500 C/C 095°, 1501 C/C 102° 1524 Set special sea and anchor detail C/C 105°, Captain and Navigator on the bridge OOD has the Conn. Steering various courses at various speed to moor at navigate Sasebo Channel and Harbor and moor at Hirase Water Point. 1613 Mike boats FA 96 & FA 37 come alongside to take tow. 1617 Mike boats have tow. 1622 LT(JG) Nelson has the Conn. 1631 Moored starboard side to outboard USS Sunflint AOG 383 Hirase water Point Sasebo Japan, using standard mooring lines doubled. Ship present include Units of US Pacific Fleet, Units of Japanese Navy. SOPA is Comservron 3 Ens Turner Ens USNR

16-20 Moored as before. 1800 Set material Conditions Modified "Yoke"

Ens Turner Ens USNR

20-24 Moored as before.

Ens Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Nelson, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION -9 DATE FRIDAY (Day) 5 (Date) JULY (Month), 19 63

AT/~~PASSAGE FROM~~ Sasebo, Japan ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	5	5	RW	2963	76	75	10	200	ST			
02	200	5	5	RW	2962	76	75	10	200	ST			
03	200	5	5	RW	2962	76	75	10	200	ST			
04	190	2	2	R	2962	74	73	10.	350	ST			
05	180	2	2	R	2962	74	73	10	350	ST			
06	170	3	2	R	2960	74	73	10	350	ST			
07	150	4	5	OVC	2956	76	75	10	350	ST			
08	150	4	5	OVC	29556	76	75	10	400	ST			
09	150	6	5	OVC	29555	76	75	10	400	ST			
10	150	4	3	R	2955	76	75	10	400	ST			
11	155	5	4	OVC	2955	75	74	10	400	ST			
12	155	4	5	OVC	29555	77	74	10	1000	ST			
13	155	4	5	OVC	29555	77	74	10	1000	ST			
14	155	3	7	BKN	29555	77	74	9	1000	ST			
15	155	3	7	BKN	29555	77	74	9	1000	ST			
16	155	3	7	BKN	29555	76	73	9	1000	ST			
17	155	3	7	BKN	29555	77	74	9	1700	ST			
18	155	3	7	BKN	2955	78	74	9	1400	ST			
19	155	3	7	BKN	29555	79	74	9	1700	ST			
20	325	3	5	BKN	29555	77	75	5	1700	Sc			
21	325	3	4	SCT	2956	73	71	5	1400	Sc			
22	325	3	4	SCT	2956	73	71	5	1400	Sc			
23	325	2	4	SCT	2956	73	71	5	1400	Sc			
24	325	2	4	SCT	2956	73	71	5	1400	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 215

REMARKS

00-04 Moored starboard side to outboard of USS Sunbird (ADG 383). Hirase Watery Point Sasebo Japan with Standard mooring lines doubled. Modified condition Yoke Set. Receiving fresh water and telephone service from the pier. Ships present include various units of U S Pacific Fleet, Japanese Navy and yard craft. SOPA is ~~Com Min Flot One~~ in ~~USS Epping Forest (MSC-7)~~ Com SeruRon 3 in USS AJAX (AR-6) R1

Lew Turner EnlUSN

04-08 Moored as before. 0745 Mustered crew at quarters, absentees: none.

Lew Turner EnlUSN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Olson, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 5 (Date) JULY (Month) 19 63

0800-1200 MOORED AS BEFORE. 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. MADE WEEKLY INSPECTION OF MAGAZINE SPRINKLER SYSTEM: OPERATION SATISFACTORY

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE. 1500 COMMINFOT ONE ASSUMED DUTIES OF SOPA IN USS EPPING FOREST (MSC-7)

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1600 PURSUANT TO COMMANDING OFFICERS ORDERS JOHNSON, JEFFERY E EM3 538-48-54 DEPARTED THIS SHIP TO REPORT TO SENIOR SHORE PATROL OFFICER, SASEBO, JAPAN TAD. 1800 MODIFIED MATERIAL CONDITION YOKE SET.

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Horton
LTJG, USN

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R D Nasa, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE SATURDAY (Day) 6 (Date) JULY (Month), 19 63

AT ~~PASSAGE FROM~~ SASEBO JAPAN. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	3	7	BKN	2960	71	69	8	700	SC			
02	080	3	7	BKN	2959	71	69	8	700	ST			
03	090	2	7	BKN	2958	70	68	7	700	ST			
04	100	2	7	BKN	2958	70	68	8	700	ST			
05	100	2	7	BKN	2959	70	68	9	700	ST			
06	100	2	7	BKN	2959	72	69	8	1000	SC			
07	100	2	7	SCT	2959	74	70	5	1400	SC			
08	160	1	7	SCT	2960	78	72	5	1400	SC			
09	200	1	10	SCT	2962	77	72	4	1700	CU			
10	200	2	10	SCT	2960	78	72	3	2000	CU			
11	215	3	10	SCT	2960	80	73	2	2400	CU			
12	215	3	10	SCT	2962	81	75	2	2000	CU			
13	215	3	10	SCT	2962	83	77	2	2000	CU			
14	210	3	10	SCT	2960	85	75	4	3000	CU			
15	210	3	10	BKN	2960	85	75	6	3000	CU			
16	205	3	10	BKN	2960	85	75	6	3000	CU			
17	205	3	10	BKN	2960	85	72	8	2900	CU			
18	205	4	10	BKN	2960	80	76	6	2000	CU			
19	205	2	10	BKN	2960	80	75	8	1700	CU			
20	205	2	10	BKN	2960	80	74	8	1700	CU			
21	205	2	10	BKN	2960	80	71	8	2000	CU			
22	205	1	10	BKN	2960	80	71	8	2500	CU			
23	205	1	7	BKN	2962	80	71	8	3000	CU			
24	205	1	7	BKN	2963	80	71	8	3000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 262

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO OUT BOARD OF USS SURFBIRD (ADG 383), HIRASE WATER POINT, SASEBO JAPAN WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, JAPANESE NAVY, AND YARD CRAFT. SOPA IS COMMINFROT ONE ON ~~ET~~ USS EPPING FOREST (MSC-7) 0045 JOHNSON JEFFERY FEN F EM3 538-48-54 RETURNED TO SHIP HAVING COMPLETED TAD AS SHORE PATROL.

J E Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW ON STATIONS: ABSENTEES: NONE ~~00~~ FEN

J E Horton
LTJG USN.

APPROVED: C C Reef Lt U.S.N. COMMANDING

EXAMINED: D D Mason, Jr Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ SATURDAY (Day) 6 (Date) July (Month), 19 63

08-12
MOORED AS before. 0905 Made daily INSPECTION OF MAGAZINES AND smokeless powder samples.

R D Mason
Lt(jg), USNR

12-16.
MOORED AS before. PURSANT TO THE ORDERS OF THE Commanding OFFICER KITE, D W, 586 19 96, ENS, USN departed THE ~~R D Mason~~ ship TO REPORT TO Shore Patrol Headquarters, SASEBO JAPAN FOR TAD ~~R D Mason~~ Lt(jg), USNR

16-20 Moored as before. 1800 SET MATERIAL CONDITION YOKE (Modified).
R D Mason, Lt(jg), USNR

20-24 MOORED AS before. 2310 KITE, D.W. 586 19-96, ENS, USN return TO THE ship HAVING completed TAD AS SHORE PATROL.
R D Mason
Lt(jg), USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION -9I DATE Sunday (Day) 7 (Date) July (Month), 19 1963

AT/~~PASSAGE FROM~~ Sasebo, Japan TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	3	3	BKN	2962	78	71	6	1500	CU			
02	190	1	5	BKN	2963	78	72	6	1500	CU			
03	190	1	7	BKN	2963	75	73	6	1500	CU			
04	190	1	7	BKN	2963	75	70	6	1500	CU			
05	190	1	10	BKN	2963	75	70	6	1700	CU			
06	190	1	10	BKN	2963	75	70	7	1700	CU			
07	190	1	10	BKN	2963	75	72	7	1000	CU			
08	180	3	10	BKN	2963	77	74	7	1000	CU			
09	200	4	10	BKN	2963	78	74	7	1200	CU			
10	200	5	10	BKN	2962	79	74	7	1700	CU			
11	200	6	10	BKN	2962	81	74	7	2100	CU			
12	200	7	10	BKN	2963	82	76	7	2100	CU			
13	200	7	10	BKN	2963	81	74	8	2100	CU			
14	190	7	10	BKN	2962	81	74	8	2100	CU			
15	190	7	10	BKN	2962	82	75	8	2700	Sc			
16	180	7	10	BKN	2962	82	76	8	2100	Sc			
17	180	6	10	BKN	2962	82	77	9	1700	Sc			
18	170	6	10	BKN	2961	81	77	9	1400	Sc			
19	175	6	10	BKN	2961	81	77	9	1400	Sc			
20	175	7	10	BKN	2961	80	76	9	1400	Sc			
21	170	7	8	OVC	2961	80	76	10	1400	Sc			
22	165	6	7	OVC	2960	81	77	10	1400	Sc			
23	165	6	5	OVC	2960	80	76	10	1400	Sc			
24	160	6	1	OVC	2960	80	76	10	1400	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 450

REMARKS

00-04

Moored starboard side to, outboard of USS Surfbird CADG-383. Hirase Water Point, Sasebo, Japan with Standard Mooring Lines doubled. Material condition Yoke (Modified) is set. Receiving Fresh water and telephone services from the pier. Ships present include various units of the US Pacific fleet, Japanese Navy, and yard craft. SOPA is COMINFLOT ONE embarked USS Epping Forest (MC-7)

R S Mason, Stgs, USNR

04-08 Moored as before

R S Mason, Stgs, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stgs. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 7 (Date) July (Month) 63

08-12 moored as before: 0800 mustered the crew on stations. Absentees, none. 0932 made daily inspection of magazines and smokeless powder samples. Conditions normal.

J.L. Hollis, CWO2, USN

12-16 moored as before. 1345 pursuant of the orders of the Commanding Officer, USAN, Rufo J, 520-13-30, RD3, USN left the ship to report to shore patrol Headquarters for temporary duty.

J.L. Hollis, CWO 2, USN

16-20 moored as before: 1800 set material condition Yoke (modified).

J.L. Hollis, CWO 2, USN

20-24 moored as before: 2345 USAN, Rufo J, 520-13-30, RD3, USN returned to the ship having completed temporary duty on shore patrol.

J.L. Hollis, CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9Z DATE MONDAY (Day) 8 (Date) JULY (Month), 1963

AT/~~PASSAGE~~ FROM SASEBO, JAPAN ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	6	1	OVC	2960	80	76	10	1400	Sc			
02	160	6	1	OVC	2960	79	76	10	1000	Sc			
03	170	5	1	OVC	2960	78	76	10	700	Sc			
04	170	6	1	OVC	2960	77	76	10	350	Sc			
05	170	5	1	R	2959	78	77	10	350	Sc			
06	180	5	3	R	2959	79	78	10	350	Sc			
07	180	5	3	R	2959	80	79	10	350	Sc			
08	190	5	3	R	2959	80	79	10	350	Sc			
09	190	3	4	R	2960	81	80	10	350	Sc			
10	200	3	4	OVC	2962	81	80	10	350	Sc			
11	200	3	4	OVC	2964	81	80	10	350	Sc			
12	200	3	4	OVC	2965	82	80	10	700	Sc			
13	210	2	4	OVC	2965	82	80	10	700	Sc			
14	210	2	4	OVC	2965	83	79	10	1400	Sc			
15	210	2	4	OVC	2965	83	79	10	1400	Sc			
16	210	1	5	OVC	2965	82	78	10	1400	Sc			
17	200	2	5	OVC	2965	82	78	10	1400	Sc			
18	210	3	5	OVC	2965	81	77	10	1400	Sc			
19	215	3	5	OVC	2965	80	76	10	1400	Sc			
20	215	2	5	OVC	2965	80	76	10	1400	Sc			
21	220	3	5	OVC	2965	79	75	10	1400	Sc			
22	225	2	5	OVC	2965	78	74	10	1400	Sc			
23	235	2	5	OVC	2965	77	73	10	1400	Sc			
24	240	3	5	OVC	2965	76	72	10	1400	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 824

REMARKS

00-04 Moored Starboard side to and outboard of USS Surfbird (ADG-383) at Hirase water front Sasebo, Japan, with standard mooring lines doubled. Material condition Yoke (modified) set. Receiving telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, Japanese Self Defense Force, district and small craft. SOPA is COMNAVFLOT ONE.

J.L. Hollis, CWO-2, USN

04-08 Moored as before; 0745 mustered the crew at Quarters. Absentees: None.

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Mason Lt. Jg. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 8 (Date) July (Month) 19 63

08-12 Moored as before, 0845 made daily Inspection of magazines and smokeless powder samples, Conditions normal.

Ann Turner Ens USNR

12-16 Moored as before.

Ann Turner Ens USNR

16-20 Moored as before. 1550 Pursuant to orders of the Commanding Officer, Kapelis, E (n) Pn3 left the ship to report to Senior Shore Patrol Officer, Sasebo Japan for temporary duty. 1800 Set modified material Condition Yoke.

Ann Turner Ens USNR

20-24 Moored as before.

Ann Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9- F DATE TUESDAY (Day) 89 (Date) JULY (Month), 1963

AT/PASSAGE FROM SASEBO, JAPAN TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	240	3	5	OVC	2965	76	72	10	1400	Sc			
02	250	3	5	OVC	2965	75	72	10	1000	Sc			
03	250	3	5	OVC	2965	75	72	10	1000	Sc			
04	250	4	7	OVC	2966	75	71	10.	1400	Sc			
05	240	5	8	OVC	2968	74	71	10	1000	Sc	76	CALM	
06	240	6	10	OVC	2970	74	71	10	1000	ST	76	CALM	
07	240	7	10	OVC	2970	74	71	10	1000	Sc	73	CALM	
08	255	6	9	OVC	2970	74	71	10	1000	Sc	73	CALM	
09	285	7	12	BKN	2970	75	72	8	1000	Sc	73	CALM	
10	270	4	15	BKN	2970	75	72	8	1000	Sc	73	CALM	
11	270	4	15	BKN	2970	76	72	8	1400	Sc	73	CALM	
12	270	4	13	BKN	2970	76	72	8	1400	Sc	73	CALM	
13	270	5	13	BKN	2970	76	72	8	1400	Sc	73	CALM	
14	270	6	11	BKN	2970	76	72	8	1400	Sc	73	240	1
15	270	6	10	BKN	2970	76	72	8	1400	Sc	73	240	1
16	200	4	10	BKN	2971	75	71	9	1400	Sc	73	240	1
17	200	4	10	BKN	2970	75	70	9	1700	Sc	73	240	1
18	230	4	10	BKN	2972	75	72	9	1000	Sc	73	240	1
19	230	3	10	BKN	2972	74	70	8	1400	Sc	73	CALM	
20	230	1	10	BKN	2972	73	70	8	1000	Sc	73	CALM	
21	230	2	9	BKN	2973	73	70	8	1000	Sc	73	CALM	
22	230	2	9	BKN	2973	74	70	8	1400	Sc	73	CALM	
23	230	2	9	BKN	2974	74	70	8	1400	Sc	73	CALM	
24	230	3	9	BKN	2974	74	70	8	1400	Sc	73	CALM	

POSITION	ZONE	TIME
0800 L	33-20.4N	BY 3
λ	129-10 E	BY 3
1200 L	33-42 N	BY 4
λ	128-51.8E	BY 4
2000 L	33-35.5N	BY 4
λ	128-38.8E	BY 4

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
161.5

FUEL CONSUMED 0000-2400
1172

REMARKS

0004 moored starboard side to outboard of USS Sunfish (ADG 383) Ugaire Water Point Sasebo Japan with Standard mooring lines doubled. Modified Condition Yoke set. Receiving fresh water and telephone service from the pier. Ships present include various units of U.S. Pacific Fleet, Japanese navy and yard craft, SOPA is ComMinFlot One on board USS Epping Forest (MCS-7) 0029 Kaplitz E (a) 528046 PO3 USN returned to the ship having completed temporary duty on shore patrol.

0415 commenced preparations for getting underway 0434 Set the Special Sea And Anchor Detail. 0438 Captain and Navigator on the bridge. 0442 Mustered the crew on stations, ~~Unauthorized~~ absentees: none. 0458 underway IAW CTG 72.4 MSG 070250 Z to localop area Golf. Steering various courses and speeds to conform to the charted Harbor and Channel - ~~0548 Ens turned over the deck to Captain~~

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R D Nash, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 9 (Date) July (Month) 1963

04-08 cont. has the conn. 0808 Steady on course 310°. Speed 9.5 Kts. 0811 C/C 175°. 0820 C/C 260°. 0823 C/C 250°. 0824. C/C 257°, 0828 C/C 252°, 0833 C/C 248°, 0834 C/C 242°, 0837 C/C 274°, 0841 Secured the Special Sea and Anchor detail. C/S 12.3 Kts. 0846 C/C 282°, 0848 relieved Ens. Turner of the deck and conn. 0858 C/C 285°, 0907 C/S 13.3 Kts. 0957 C/C 323°, 0744 C/C 320°, 0745 tested ship, whistle, siren, Gen'l and Chemical alarm, Test Satisfactory. 0749 C/C 274°, 0750 C/C 320°,

Jack Hollis, CWO-2, USN

08-12 UNDERWAY AS BEFORE ~~0800 MUSTER ON STATION ABSENTEE'S~~ NONE 0824 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL. 0925 C/S 1.7 KTS. 0926 COMMENCED VEERING TARGET 0928 TARGET VEERED TO 1300 FT. C/S 9 KTS. 0931 C/S 3.3 KTS 0954 C/S 9.5 KTS. 0956 C/S ALL STOP C/S 9.5 KTS. 0958 C/S 3.3 KTS 0959 C/S 9.5 KTS. 1003 C/S 3.3 KTS. 1007 C/S 6.7 KTS. 1025 C/S 1.7 KTS. 1029 C/S 6.7 KTS. 1058 COMMENCED EXERCISE A 50 U 1131 C/S 12 KTS C/C 050°T

J.A. DeLorme BM1 USN

12-16 underway as before, 1254 Secured from exercise A-50-U, A-51-U, A-53-U. 1331 C/C 230°. 1410 Commenced exercise A-51-U, 1445 Secured from exercise A-51-U 1450 Commenced exercise A-50-U, 1523 Secured from exercise A-50-U. 1535 Commenced Exercise A-50-U

Don Turner Ens USN

16-18 UNDERWAY AS BEFORE. 1645 MADNESS 10 AIRCRAFT COMPLETED EXERCISE A-50-U. 1650 MADNESS 10 AIRCRAFT COMMENCED EXERCISE A-51-U. 1720 MADNESS 10 AIRCRAFT COMPLETED A-51-U 1721 TRANSPLANT 5 COMPLETED A-51-U, MADNESS 10 COMMENCED A-57-U 1728 MADNESS 10 COMPLETED A-57-U 1736 COMMENCED HEAVING IN TARGET. 1747 C/S ALL STOP 1749 S C/S TO 6.7 KNOTS. 1750 TARGET ON DECK

L.E. Foster
LTJG USN

18-20 Underway as before. 1915 C/C 050°, 1922 C/S 9.5 KTS 1928 Sparo streamed to 1300 feet, C/S 6.7 KTS. MADNESS 8, (P5M) Commenced Exercise A-53-U. 1950 Secured from Exercise A-53-U. and commenced Exercise A-57-U. 1959 C/S 9.5 KTS.

J.A. Hollis CWO2 USN

20-24 UNDERWAY AS BEFORE 2007 C/S 6.7 KTS. 2030 COMMENCED HEAVING IN TARGET 2042 TARGET HEAVED IN. C/S ALL STOP 2046 DARKEN SHIP 2053 C/S 6.7 KTS. 2207 LIGHT SHIP 2345 C/C 230°T 2358 DARKEN SHIP

J.A. DeLorme BM1 USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Jr. Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 9 (Date) JUNE (Month), 19 63

APPROVED:

EXAMINED:

_____ U.S.N. COMMANDING

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION _____ DATE WEDNESDAY (Day) 10 (Date) JULY (Month), 19 63

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	7	10	BKN	2971	75	74	9	350	Sc	73	150	2
02	150	7	10	BKN	2971	75	74	9	350	Sc	73	150	2
03	150	7	10	BKN	2971	75	74	9	350	Sc	73	150	2
04	135	5	10	BKN	2971	75	74	9	350	Sc	73	135	1
05	070	17	10	BKN	2971	74	73	9	350	Sc	73	070	4
06	070	17	10	BKN	2969	75	73	9	700	Sc	73	070	4
07	130	7	4	R	2970	74	73	10	350	ST	73	130	2
08	050	4	4	R	2970	70	69	10	350	ST	73	100	1
09	030	17	8	OVC	2970	72	71	10	350	ST	73	050	5
10	060	20	6	R	2969	73	72	10	350	ST	73	060	7
11	065	24	7	OVC	2966	77	76	10	350	ST	73	070	7
12	070	22	7	OVC	2967	77	76	10	350	ST	73	090	7
13	195	9	7	OVC	2965	78	76	10	700	ST	73	090	3
14	160	14	7	OVC	2964	79	77	10	700	ST	73	120	4
15	180	14	7	OVC	2964	80	77	10	1050	ST	73	150	4
16	180	8	7	OVC	2962	80	77	10	1050	ST			
17	180	7	7	OVC	2962	79	78	10	350	ST			
18	180	7	7	OVC	2962	80	78	10	700	ST			
19	180	7	7	OVC	2962	81	78	10	1050	ST			
20	200	10	7	OVC	2962	80	78	10	700	ST			
21	220	13	7	OVC	2963	80	78	10	700	ST			
22	220	14	7	OVC	2963	79	77	10	700	ST			
23	220	15	6	OVC	2963	79	77	10	700	ST			
24	225	14	6	OVC	2962	79	77	10	700	ST			

POSITION	ZONE	TIME
0800		
L 33-42 N	BY	4
λ 128-52 E	BY	4
1200		
L 33-30 N	BY	3
λ 128-44 E	BY	3
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 141

FUEL CONSUMED 0000-2400: 1580

REMARKS

00-04 Steaming Independently in Op-area Gulf, Sasebo Japan. IAW CTG 72.4 Msg 070250Z of July 1963. Base course 230° speed 6.7 kts. Material condition modified Yoke set, Readyness Condition V, Engineering Condition III, Damage Control Condition III, Set. 2358 Darken ship to commence exercise with aircraft of TG 72.4.

Lou Turner Ens USN

0400-0408 Underway As Before 0445 C/C To 050° 0458 Transplant One Commenced Exercise A-52-U. 0523 Transplant One Completed Exercise A-52-U. 0525 Transplant One Commenced Exercise A-51-U. 0529 C/S To 9.5 Knots. Streamed Target To 1300 Ft. 0530 C/S To 6.7 Knots. 0611 Transplant One Completed A-51-U. 0627 Transplant One Commenced Exercise A-50-U 0640 C/S To 8.3 Knots. 0645 C/S To 6.7 Knots. Transplant One Completed

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Nash Jr/g U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 10 (Date) JULY (Month), 19 63

04-08 (CONT) EXERCISE A-50-U. 0735 HEAVED TARGET IN TO 300 FT. C/S TO 3.3 KNOTS. 0745 MUSTERED CREW ON STATIONS: ABSENTEES: NONE.

J E Hutton
LTJG USN.

08-12 UNDERWAY as before. 0843 Made daily inspection of magazines and Smokless powder Samples, Conditions normal 0850 C/C 140°. 0851 C/S 9.5 Kts. 0859 Streamed sparex to 1300 feet. 0924 C/C 215°, 0928 C/C 218°, 1017 C/S 6.7 kts, C/S 9.5 Kts. 1018 C/S 12.3 Kts. 1027 C/C 180°, 1037 C/S 6.7 Kts. 1048 C/S 9.5 Kts. 1056 C/C 256°, ~~1057~~ 1115 TRANSPLANT 5 Commenced EXERCS. # A-51-U, 1145 Terminated EXERCISE A-51-U. 1146 C/C 118°, Received Msg. from Flt. Air Wing Six - via Transplant 5, EXERCISE Services Cancelled - due to Bad weather - ATF-96 Released to return to port.

J.L. Wallis, CWO2 USN

12-16 UNDER WAY AS BEFORE 1201 C/S 6.7 KTS. 1202 C/S ALL STOP HEAVED IN TARGET 1205 C/S 3.3 KTS. C/S 12.5 KTS. 1208 C/S 13.3 KTS. 1322 C/C 145°T 1432 C/C 103°T 1435 C/C 105°T 1522 C/C 100°T 1546 SET SPECIAL SEA AND ANCHOR DETAIL C/S 12.3 KTS. 1547 C/S 9.5 KTS CAPTAIN AND NAVIGATOR ON THE BRIDGE 1550 C/S 12.3 KTS. 1552 C/C 065°T 1556 4/5° RUDDER TO COURSE 055°T 1558 STEADY 070°T

J M DeZonne BMI USN

16-18 Underway as before steering various courses and speed to navigate Sasebo Harbor and Channel to moor at Hirase Point. 1610 Lt (jg) Mason Nav the Conn, 1630 Moored starboard side to outboard USS Surfbird (AD6383) at Hirase Water Point. Sasebo Japan.

Am Turner Em USN

18-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (Modified).

D S Mason, Lt(jg), USNR

20-20 MOORED AS BEFORE.

D S Mason, Lt(jg), USNR

APPROVED: C C Reed Jr. U.S.N. COMMANDING

EXAMINED: D S Mason Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION -9 DATE Thursday (Day) 11 (Date) July (Month), 1963

AT/PASSAGE FROM Sasebo, Japan TO Naha, Okinawa

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	225	14	6	OVC	2962	79	77	10	700	ST			
02	210	14	6	OVC	2962	79	77	10	700	ST			
03	200	12	4	OVC	2961	79	77	10	700	ST			
04	180	10	3	OVC	2961	80	78	10	700	ST			
05	180	10	3	R	2961	80	78	10	700	ST			
06	185	10	5	R	2961	80	78	10	700	ST			
07	185	12	5	R	2961	80	78	10	700	ST			
08	185	13	5	R	2961	80	78	10	700	ST			
09	185	20	3	R	2960	81	78	10	1050	ST			
10	250	22	4	R	2960	81	78	10	1050	ST			
11	250	22	4	R	2960	81	78	10	1050	ST	75	220	4
12	250	22	3	RW	2960	78	77	10	700	ST	75	220	5
13	230	18	3	F	2960	75	74	10	350	ST	77	220	4
14	230	20	5	F	2961	75	74	10	350	ST	77	220	5
15	230	15	4	F	2962	76	75	10	350	ST	74	220	6
16	220	10	4	F	2962	78	77	10	350	ST	74	225	6
17	225	17	4	F	2962	79	78	10	350	ST	74	220	7
18	225	18	6	OVC	2963	78	77	10	350	ST	74	220	6
19	225	15	6	BKN	2965	78	77	9	350	ST	74	220	4
20	225	17	6	BKN	2967	79	78	9	350	ST	75	220	4
21	220	17	6	BKN	2969	78	77	9	350	ST	75	225	4
22	210	17	6	BKN	2972	78	77	9	350	ST	75	225	4
23	210	17	6	BKN	2972	78	77	9	350	ST	75	225	4
24	215	17	6	BKN	2972	78	77	9	350	ST	75	225	4

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 33-03 N		BY 3
λ 129-32.7E		BY 3
2000		
L 31-29.8E		BY 2
λ 129-05.2E		BY 2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 147

FUEL CONSUMED 0000-2400: 1279

REMARKS

00-04 Moored starboard side to, outboard of USS Surfbird (AOG-383), Hirase Water Point, Sasebo, Japan with standard mooring lines doubled. Material condition Yoke (Modified) is set). Receiving fresh water and telephones services from the pier. Ships present include various units of the US Pacific Fleet, Japanese Navy and yard craft. SOPA is COMINFLOT ONE embarked USS Epping Forest MSL-7)

R D Mason

04-08. Moored as before. 0745 Mustered the crew at quarters Absentees: None

R D Mason
Slyg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Slyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI CATF-96 THURSDAY (Day) 11 (Date) July (Month), 1963

08-12 Moored as before. 0838 Commenced fueling (Diesel) from 71t acts. Barge D-1. Draft Fwd - 14-4" Aft - 15'-8" 0919 secured from taking on fuel - JdH Received 10,950 gal. diesel. Draft Fwd - 14'-0" Aft 16'-0" 0912 Set Condition Yoke throughout the ship. 1015 set the special sea and anchor detail. 1031 Captain & navigator on the bridge - 1030 Underway in accordance with JdH Com Seventh Flt. Ctrly op sched. Captain has the comm. maneuvering JdH on various courses & speeds while clearing berth and transiting Harbor & Channel, 1041 OOD has the comm. Course 204°, speed 9.5 Kts. 1043 c/c 190°, 1044 c/c 175°, 1048 c/c 174°, 1050 c/c 174°, 1055 c/c 355° 1058 c/c 360°, 1059 c/c 365°, 1101 c/c 345°, 1102 c/c 348°, 1107 c/c 345°, 1108 c/c 340°, 1111 c/c 368°, 1113 Secured the special Sea and Anchor detail. 1115 c/c 370°, 1117 c/c 375°, 1123 c/c 360°, 1130 c/c 270°, 1143 c/c 305°, 1154 c/c 315°, 1158 c/s 13.3 Kts 1156 c/s 13.3 Kts. 1158 c/c 320°,

J.D. Hollis, CWO2, USN

12-16 Underway as before. 1220 c/c 195°, 1234 maneuvering to avoid fishing net. 1240 c/c 195°, ~~BTO Exchanged Call Signs with USS MANATEE (AO-58)~~ 1312 Lt(jg) NASON Has the comm & Deck. 1321 OOD Has the comm & Deck. 1412 c/s 12.3 Kts. 1500 c/s 3.3 Kts. 1502 c/s 12.3 Kts.

J.D. Hollis, CWO2 USN

16-18 UNDER WAY AS BEFORE

JdH DeJarnette BM1 USN

18-20 Underway as before. 1850 Made daily inspection of magazines and smokeless powder samples, conditions Normal.

Jm Jarnes

24-24 UNDERWAY AS BEFORE 2000 C/C TO 196° 2045 LOST EXCITATION TO MAIN MOTOR 2047 ~~EXCITA~~ EXCITATION RESTORED TO MAIN MOTOR PEH

L E Hooker
LTJG USN

APPROVED: C C Read Lt. U.S.N. COMMANDING

EXAMINED: R L Mason, LCdr U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9-I DATE FRIDAY (Day) 12 (Date) JULY (Month), 19 63

AT/PASSAGE FROM SASEBO, JAPAN TO NAHA, OKINAWA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	20	10	BKN	2973	82	80	7	700	Sc	75	220	7
02	220	20	10	BKN	2972	81	80	7	350	Sc	75	220	7
03	230	15	10	BKN	2973	81	80	6	350	Sc	75	220	5
04	205	15	10	BKN	2974	82	80	6	700	Sc	75	200	4
05	215	14	10	BKN	2975	82	80	6	700	Sc	76	210	4
06	215	14	10	BKN	2974	82	80	6	700	Sc	76	220	2
07	225	12	10	BKN	2974	85	80	6	1700	Sc	78	220	2
08	200	14	10	BKN	2974	87	80	6	2100	Sc	78	220	2
09	200	14	10	BKN	2974	87	80	6	2100	Sc	78	220	2
10	200	14	10	BKN	2974	87	80	6	2100	Sc	78	220	2
11	200	14	10	BKN	2978	87	80	6	2100	Sc	79	220	2
12	200	16	10	BKN	2978	88	81	6	2400	Sc	79	220	2
13	200	16	10	BKN	2979	87	81	6	2100	Sc	79	220	2
14	200	16	10	BKN	2978	87	81	6	1800	Sc	79	220	2
15	200	16	10	BKN	2978	86	80	6	1800	Sc	79	220	2
16	195	8	10	SCT	2979	87	80	4	2100	Ac/Ci	79	220	2
17	195	7	10	SCT	2979	87	80	4	2100	Ac/Ci	79	200	1
18	195	6	10	SCT	2979	87	80	4	2100	Cu/Sc	80	200	1
19	195	6	10	SCT	2979	87	81	3	1800	Cu/Sc	81	205	1
20	195	6	10	SCT	2979	87	81	3	1800	Cu	81	205	1
21	200	3	10	SCT	2981	85	80	2	1500	Cu	82	205	1
22	200	3	10	SCT	2981	85	80	2	1500	Cu	82	205	1
23	200	3	10	SCT	2981	85	80	2	1500	Cu	83	205	1
24	200	3	10	SCT	2983	83	80	2	1000	Cu	83	205	1

POSITION	ZONE	TIME
0800		
L 29-14 N	BY	2
λ 128-27 E	BY	2
1200		
L 28-49.8 N	BY	213
λ 128-14.8 E	BY	213
2000		
L 27-42 N	BY	3
λ 127-59.5 E	BY	3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 244

FUEL CONSUMED 0000-2400: 1796

REMARKS

00-04 STEAMING INDEPENDENTLY from SASEBO, JAPAN TO NAHA, OKINAWA IAW COM SEVENTH FLT First Quarter FY 64 OPERATION SCHEDULE, Base Course 196°, Speed 13.3 Kts. Material Condition yoke set throughout the ship. Readiness Condition V set, Engineering and damage control Condition III set.

J. L. Hollis, CWO2, USN

04-08 UNDER WAY AS BEFORE 0745 TESTED SHIP'S WHISTLE SIREN GENERAL CHEMICAL AND STEERING ALARMS TEST SATISFACTORY

F. A. Delorme BMI USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. D. Mason, Stgj U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 12 (Date) JULY (Month) 19 63

08-12 Underway as before. 0800 C/C to 200° C/S to 9.5 Kts 0807 Judge lost steering control. drill. 0808 steering from after steering by indicator. 0920 shifted steering to secondary Conn. Received daily inspection of magazines and smokeless powder samples, condition normal. Made weekly magazine sprinkler system ~~inspection~~ test. Condition Normal. 1117 C/C 210, 1123 C/C 200, 1125 Passed SS Violanda, Liberia tanker abeam to Starboard 1000 yds.

Lon Turner Em USN

12-16 UNDERWAY AS BEFORE 1300 C/C TO 195° 1500 C/C TO 199° 1510 C/C TO 195° MADE LANDFALL BEARING 175° APROX. 35 MILES IDENTIFIED AS TORI SHIMA.

J E Horton
LTJG USN

16-18 Underway as before.

Jd Hollis. CWO2 USN

18-20 UNDER WAY AS BEFORE

F R DeJonne BM1 USN

20-24 Underway as before 2003 C/C to 200°

Lon Turner Em USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: N D Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE SATURDAY (Day) 13 (Date) JULY (Month), 19 63

AT/PASSAGE FROM SASEBO JAPAN TO NAHA, OKINAWA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	170	16	10	SCT	2983	82	79	2	1000	CU	83	170	1
02	150	16	10	SCT	2982	82	79	2	1000	CU	83	150	1
03	135	16	10	SCT	2981	82	79	2	1000	CU	83	135	1
04	110	7	10	SCT	2982	83	80	2	1000	CU	83	110	1
05	090	7	10	SCT	2982	83	80	1	1000	CU	83	090	1
06	060	10	10	SCT	2982	87	80	1	2000	CU	83	060	1
07	060	10	10	SCT	2982	87	80	1	2400	CU	83	060	1
08	120	6	10	SCT	2983	87	81	1	2400	CU	83	CALM	
09	100	6	10	SCT	2983	88	81	3	2400	CU			
10	080	6	10	SCT	2983	89	81	3	2800	CU			
11	060	5	10	SCT	2983	89	81	3	2800	CU			
12	020	5	10	SCT	2983	90	81	3	3000	CU			
13	025	5	10	SCT	2983	90	81	3	3000	CU			
14	000	4	10	SCT	2983	92	81	3	3600	CU			
15	350	3	10	SCT	2983	92	81	3	3600	CU			
16	340	4	10	SCT	2983	92	81	3	3600	CU			
17	340	4	10	SCT	2983	92	81	3	3600	CU			
18	350	3	10	SCT	2983	91	82	2	3600	CU			
19	355	3	10	SCT	2983	90	82	1	3000	CU			
20	000	1	10	SCT	2984	88	80	3	2400	CU			
21	000	1	10	SCT	2984	87	80	3	2400	CU			
22	000	1	10	SCT	2984	87	80	3	2400	CU			
23	000	1	10	SCT	2984	88	80	3	2400	CU			
24	030	1	10	CLR	2984	84	79	—	—	—			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400
63

FUEL CONSUMED 0000-2400
978

REMARKS

ΦΦ-Φ4 STEAMING INDEPENDENTLY FROM SASEBO, JAPAN TO NAHA OKINAWA. IN ACCORDANCE WITH COMSEVENTHFLT FIRST QUARTER FY 1964 OPERATION SCHEDULE. BASE COURSE 2ΦΦ° BASE SPEED 9.5 KNOTS. MODIFIED MATERIAL CONDITION YOKE, READINESS CONDITION IV, ENGINEERING CONDITION III, DAMAGE CONTROL CONDITION III IS SET. ~~Φ23Φ~~ Φ152 SIGHTED Ti SHIMA SPECIAL BUOY LIGHT, BEARING 142° Φ23Φ C/C TO 18Φ° Φ24Φ C/S TO 7.5 KNTS. JEH

J E Harton
LTJG USN.

04-08 Underway as before; 0447 sighted NOSHV aero beacon bearing 138° true. and NAHA Radio Beacon bearing 169° true. 0550 C/S 172, 0605 C/S 160 KTS. 0723 C/C 145°, 0725 R-5° Rudder, 0740 C/S all stop - Rudder midships. 0800 mustered the crew on stations, Absentees none.

J.L. Hollis, CWO 2, USN

APPROVED:

C C Reed Lt U.S.N. COMMANDING

EXAMINED:

R D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 13 (Date) July (Month) 19 63

08-12 Underway as before. 0800 Mustered crew on stations absentees; none. 0844 Captain Canning, Set the special sea and anchor detail. Captain and Navigator on the bridge. ~~00~~ 0852 C/C to 115°; 0856 C/S to 9.5 kts, 0859 Entered inland waters. ~~draft~~ forward 13'3" aft 16'6". Commenced steering various courses at various speeds conforming with Naha Harbor 0915 Commenced maneuvering to go alongside pier. 0925 Moored portside to Pier Ten (10) at Naha Okinawa with mooring lines doubled. Ships present include various US army harbor craft, ~~and~~ merchant and USNS ships. 1030 Made daily inspection of magazines and smokeless powder samples; conditions, normal.

Lt Turner End 8th

12-16 Moored As Before

J E Harter
LTJG USN

16-20 Moored As Before 1800 Set Modified Material Condition Yoke

J E Harter
LTJG USN

20-24 Moored As Before 2307 Com Fit Act Ryukus Advised Typhoon Condition Three Set. This Ship Set Typhoon Condition Three.

J E Harter
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION -9 DATE SUNDAY (Day) 14 (Date) JULY (Month), 1963

AT/~~PASSAGE FROM~~ NAHA OKINAWA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	1	10	CLR	2983	83	78	—	—	—			
02	070	1	10	SCT	2983	82	78	4	1400	CU			
03	090	1	10	SCT	2983	82	78	3	1400	CU			
04	105	1	10	SCT	2983	83	79	3	1400	CU			
05	105	1	10	SCT	2983	83	79	3	1400	CU			
06	105	1	10	SCT	2983	84	80	4	1400	CU			
07	105	1	10	SCT	2983	85	81	4	1400	CU			
08	100	1	10	BKN	2983	84	83	5	1000	CU			
09	090	2	10	BKN	2983	91	85	5	1800	CU			
10	090	2	10	BKN	2985	95	81	5	2500	CU			
11	100	4	10	BKN	2985	95	80	7	3000	CU			
12	100	3	10	BKN	2983	92	81	7	3000	CU			
13	105	9	10	BKN	2982	92	80	5	3000	CU			
14	100	9	10	BKN	2982	88	80	7	2800	CU			
15	070	18	10	BKN	2980	88	80	5	2800	CU	80	070	4
16	060	20	10	BKN	2978	85	80	5	2100	CU	80	060	4
17	060	20	10	BKN	2976	85	80	5	1700	CU	80	060	4
18	070	25	10	BKN	2975	84	80	5	1400	CU	80	070	5
19	070	30	10	BKN	2975	84	80	5	1400	CU	80	070	7
20	080	20	10	BKN	2975	84	80	6	1400	CU	80	080	10
21	100	25	10	SCT	2976	84	80	4	1400	CU	81	100	7
22	100	25	10	SCT	2976	84	82	4	700	CU	81	100	7
23	100	30	10	SCT	2975	84	83	3	1000	CU	81	100	7
24	100	20	10	SCT	2974	84	83	3	350	CU	81	100	10

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L 25-52 N		BY 2
λ 128-41 E		BY 2

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 113

FUEL CONSUMED 0000-2400: 1268

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH 10 NAHA, OKINAWA WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. TYPHOON CONDITION THREE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, MERCHANT VESSELS, US ARMY SMALL CRAFT. SOPA IS COMPAT SEVEN IN USS PINE ISLAND (AV-12) AT BUCKNER BAY.

J E Horton
LT JG USN

04-08 MOORED AS BEFORE

J E Horton
LT JG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R J Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) SUNDAY (Day) 14 (Date) JULY (Month), 1963

08-12

MOORED AS before. 1050 MADE daily INSPECTION of MACHINE and smoke powder SAMPLES CONDITION: NORMAL. RS Mason Slgg, USN a

12-16

MOORED AS before~~d~~. 1212 SET THE HEAVY WEATHER B.11. 1345 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE. 1345 COMMENCED making preparations for getting under way. 1400 SET THE Special SEA AND ANCHOR detail. ~~1405~~ Completed preparations for getting underway, DRAFT Fwd 13'5", AFT 16'. 1402 SET MATERIAL condition YOKE. 1409 Underway in accordance with the discression of the commanding officer and SOPA Buckner Bay msg 140305Z of July 1963. To avoid the effects of Typhoon Wendy and to steam in the safe semi-circle.

DS Mason Slgg, USN

12-16 (continued) 1410 MANUVERING on various courses and various speeds to clear berth and navigate NAHA channel 1433 SECURED SPECIAL SEA AND ANCHOR DETAIL 1435 c/c 220° T 1436 c/c 218° T 1437 c/s 12.3 KTS. 1448 c/s 13.3 KTS. 1455 c/c 175° T 1519 c/c 135° T 1536 c/c 100° T

JH Osborne BM1 USN

16-18 Underway as before

A M Turner Ens USNR

18-20 UNDERWAY AS BEFORE.

JE Hacker LTJG USN.

20-24 Underway as before; 2200 c/s 12.3 KTS.

JH Harris LCDR USN

APPROVED: CC Read Lt. U.S.N. COMMANDING

EXAMINED: RS Mason Slgg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9.1 DATE TUESDAY (Day) 16 (Date) JULY (Month), 1963

AT/PASSAGE FROM Typhoon BUASION TO NAHA, OKINAWA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	20	7	SCT	2974	82	78	4	1400	CI/CU	83	160	5
02	150	17	10	SCT	2974	82	79	4	1000	CU	83	150	4
03	150	17	10	SCT	2974	83	80	4	1000	CU	83	150	4
04	150	15	10	SCT	2974	85	82	4	1000	CU	83	150	4
05	145	15	10	SCT	2974	87	84	4	1000	CU	83	140	3
06	140	15	10	SCT	2973	87	84	5	1000	CU	83	140	3
07	140	10	10	SCT	2973	88	85	5	1000	CU	83	140	3
08	145	10	10	BKN	2973	88	85	6	1000	CU	83	150	2
09	150	10	10	BKN	2972	89	86	6	1000	CU	83	160	3
10	155	8	12	BKN	2972	90	87	7	1200	CU			
11	160	9	12	BKN	2972	90	87	7	1200	CU			
12	160	9	12	BKN	2972	90	87	7	1200	CU			
13	140	12	10	BKN	2972	90	87	7	1000	CU			
14	140	10	10	BKN	2972	88	86	7	1700	CU			
15	140	10	10	BKN	2972	88	86	7	700	CU			
16	140	8	10	BKN	2972	85	83	8	700	CU			
17	140	6	10	BKN	2972	85	83	9	700	CU			
18	140	6	10	BKN	2971	85	83	8	700	CU			
19	140	6	10	BKN	2971	85	83	8	700	CU			
20	140	7	10	BKN	2972	84	81	8	1000	CU			
21	150	7	10	BKN	2973	84	81	8	1000	CU			
22	150	6	8	BKN	2974	83	80	7	1000	CU			
23	160	6	8	BKN	2975	83	80	8	1000	CU			
24	160	6	7	BKN	2975	83	80	8	1000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 5-5-

FUEL CONSUMED 0000-2400: 5-13

REMARKS

00-04 Steaming Independently from Naha, Okinawa to avoid Typhoon Wendy. IAW the discretion of the Commanding officer and SOPA Buckner Bay msg. 140305Z of July, 1963. Base course 230°, speed 7.2 Kts. Condition type set through out the ship, The Heavy weather Bill set, effect. Readiness condition V set. Damage Control and Engineering Condition III set. ~~0055 C/C 220°; 0105 C/C 270°;~~ 0045 sighted ARA SAKI light Bearing 275°, 0055 C/C 220°; 0151 C/C 270°; 0338 sighted NAHA airBase aero Beacon bearing 003°;

J.L. Hollis, CWO-2, USN

04-08 UNDER WAY AS BEFORE 0405 C/E 000°T 0420 C/C 359°T 0520 C/C 062°T 0521 C/C 035°T 0527 C/C 056°T 0530 C/S 3.3KTS. 0612 C/C 170°T C/S 6.6KTS. 0615 C/S 3.3KTS. 0627 C/C 175°T 0647 C/S 12.3KTS. 0645 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE C/C 179°T 0653 C/C 177°T 0657 C/S 6.7 KTS. MANUVERING ON VARIOUS COURES AND

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: D.D. Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 TUESDAY (Day) 16 (Date) JULY (Month) 1963

VARIOUS SPEEDS TO NAVIGATE NAHA CHANNEL 0715 MOORED PORTSIDE TO PIERTHREE AT NAHA HARBOR, OKINOWA

F H DeJoune BMCA USN

08-12 Moored as before. 0803 mustered crew on stations, absentees, none. 0902 made daily inspection of magazines and smokeless powder samples conditions normal.

Wm Turner Eus USN

12-16 Moored as before.

Wm Turner Eus USN

16-20 Moored as before 1800 Set material condition Yoke modified.

Wm Turner Eus USN

20-24 Moored as before

Wm Turner Eus USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 F DATE WEDNESDAY (Day) 17 JULY (Date) (Month), 19 63

AT/~~PASSAGE FROM~~ Naha, Okinawa TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	7	4	SCT	2975	83	80	3	1000	CU			
02	160	12	4	SCT	2975	82	79	3	1000	CU			
03	160	10	4	SCT	2975	82	79	3	1000	CU			
04	160	8	4	SCT	2975	82	79	3	1000	CU			
05	160	8	5	SCT	2975	82	79	3	1000	CU			
06	160	8	10	SCT	2974	82	79	4	1000	CU			
07	140	8	14	SCT	2974	83	79	4	1400	CU			
08	140	5	12	SCT	2974	84	80	5	1400	CU			
09	160	7	12	BKN	2975	85	81	6	1400	CU			
10	150	7	12	BKN	2975	86	82	6	1400	CU			
11	150	12	12	BKN	2975	86	82	6	1400	CU			
12	150	10	12	BKN	2975	87	83	6	1400	CU			
13	150	10	14	BKN	2974	86	82	7	1400	CU			
14	150	10	14	BKN	2974	86	82	7	1400	CU			
15	150	10	14	BKN	2974	86	82	7	1400	CU			
16	150	10	14	BKN	2974	85	81	7	1400	CU			
17	150	8	14	BKN	2974	83	79	7	1400	CU			
18	150	8	12	BKN	2974	83	79	7	1400	CU			
19	150	8	10	BKN	2974	83	79	7	1400	CU			
20	150	7	7	SCT	2975	83	79	3	1400	CU			
21	150	6	7	SCT	2976	82	78	3	1400	CU			
22	150	6	7	SCT	2976	82	78	3	1400	CU			
23	160	5	6	SCT	2976	82	78	2	1400	CU			
24	140	5	6	SCT	2976	82	80	2	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 365

REMARKS

09-04 moored portside to berth three (3) Naha Harbor, Naha Okinawa using standard mooring lines doubled. Receiving telephone service from the pier. Material Condition Yoke modified is set. Ships present include US Army small craft USNS ships and merchant vessels SOPA is Commanding Officer USS Abnaki (ATF-96)

Thos Truman Ens USNR

04-08 moored as before. 0706 USS Blackhawk (APH 6) moored astern. 0745 Muster of crew at quarters, absentees none.

Thos Truman Ens USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Rosar, Flyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 17 (Date) JULY (Month) 19 63

0800-1200 MOORED AS BEFORE 0815 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL

LE Horton
LTJG USN

1200-1600 MOORED AS BEFORE 1330 THE COMMANDING OFFICER HELD MAST AND IMPOSED THE FOLLOWING NON-JUDICIAL PUNISHMENT: LORMOND, C.J. 535-48-70 RMR USN: OFFENCE: VIOLATION OF ARTICLE 134 UCMJ: PUNISHMENT 14 DAYS RESTRICTION TO SHIP AND FORFEITURE OF SEVEN DAYS PAY. CAMPUS, R (N) 681 75 26, FN, USN VIOLATION OF ARTICLE 91 ~~USMS~~ USN UCMJ. PUNISHMENT 7 DAYS RESTRICTION TO THE SHIP AND 7 DAY EXTRA DUTY.

LE Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LE Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

LE Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R R Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE THURSDAY (Day) 18 (Date) JULY (Month), 19 63

AT/~~PASSAGE FROM~~ NAHA, OKINAWA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	8	10	BKN	2972	82	80	7	700	CU			
02	160	6	10	BKN	2974	82	80	7	700	CU			
03	160	6	10	BKN	2976	82	80	7	700	CU			
04	160	6	10	BKN	2976	82	80	7	700	CU			
05	170	2	10	BKN	2976	82	80	7	700	CU			
06	170	2	10	BKN	2976	82	80	7	700	CU			
07	160	5	10	BKN	2976	83	80	7	1000	CU			
08	160	5	10	BKN	2976	83	80	7	1000	CU			
09	160	5	10	BKN	2976	85	80	7	1700	CU			
10	170	5	10	BKN	2977	86	81	7	1700	CU			
11	170	4	10	BKN	2977	87	81	7	2100	CU			
12	170	4	10	BKN	2977	88	82	7	2100	CU			
13	170	6	10	BKN	2977	88	82	7	2100	CU			
14	150	7	10	BKN	2977	87	82	7	1700	CU			
15	100	8	10	BKN	2977	87	82	7	1700	CU			
16	090	9	10	BKN	2977	86	81	7	1700	CU	81	090	1
17	070	10	10	BKN	2977	86	81	7	1700	CU	81	070	1
18	035	11	10	BKN	2977	85	81	7	1400	CU	81	035	1
19	035	11	10	BKN	2976	85	81	7	1400	CU	81	035	1
20	090	11	10	SCT	2976	84	81	2	1000	CU	81	090	1
21	110	11	10	SCT	2980	84	81	4	1000	CU	81	110	1
22	130	10	10	SCT	2981	84	80	4	1400	CU	83	130	1
23	130	10	10	SCT	2983	84	80	4	1400	CU	83	130	1
24	160	10	10	SCT	2983	83	81	4	700	CU	83	160	2

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L 26-29 N		BY 3
λ 127-38.6E		BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 57.8

FUEL CONSUMED 0000-2400: 618

REMARKS

ØØ-Ø4 MOORED PORTSIDE TO IN BERTH THREE, NAHA OKINAWA, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, ARMY SMALL CRAFT AND MERCHANT VESSELS SOPA IS COMPAT SEVEN IN USS PINE ISLAND (AV-12) AT ~~BUCKNER~~ BUCKNER BAY. SEN

J E Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS: ABSENTEES. MARAMAG, ORMIE (N) 485-13-79 SN USN UA SINCE Ø745 18 JULY 1963.

J E Horton
LTJG USN.

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 18 (Date) July (Month), 1963

08-12 - Moored as before. 0853 Made daily inspection of magazines and smokeless powder samples. Conditions: Normal.

D S Rose

12-16 Moored as before

D S Rose

16-20. Moored as before. 1725 commenced making preparations for getting underway. 1727 Mustered the crew on stations Absentees: None. 1745 set the special sea and anchor detail 1750 completed all preparation for getting underway. Draft fwd 13'6" aft 16'6"; set material condition Yoke. 1750. Captain conning and ~~Navigator~~ Navigator on the bridge; Underway for Kagoshima, Japan in accordance with COMSEVENTHFLT First Quarter FY 1964 Operation Schedule. 1817 Maneuvering to clear the pier. 1819 commenced steering various courses at various speed standing out of Sasebo ko Harbor. 1825 C/C to 309; C/S to 9.5 kts. 1828 Passed buoy Number Three abeam to stbd; distance about 50 yards. 1831 Secured the special sea and anchor detail. ~~C/C to 305~~.

R S Rose
Stf4 USNR

16-20 (cont) Underway As Before. 1831 C/C to 305° 1833 C/C to 001° 1835 C/S to 8.9 kts.

J E Horton
LTJG USN.

20-24 Underway as before: 2001 exchanged call signs with LST-1165, 2120 C/C 003°, 2212 lost sight of Ii Shima light bearing 141°, 2233 C/C 013°;

J. L. Hollis. QMO2 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rose Stf4 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION -9 DATE FRIDAY 19 JULY , 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM NAHA, OKINAWA TO KAGOSHIMA, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	10	10	SCT	2982	83	81	4	700	CU	83	130	2
02	160	9	10	SCT	2982	83	80	4	1000	CU	83	160	2
03	150	8	10	SCT	2982	83	80	4	1000	CU	83	150	2
04	130	10	10	SCT	2982	83	80	4	1000	CU	83	130	2
05	130	13	10	BKN	2981	85	84	8	700	CU	83	130	3
06	130	13	10	BKN	2981	85	84	8	350	CU	83	130	3
07	130	13	10	BKN	2981	85	84	8	350	CU	83	120	3
08	160	15	10	BKN	2985	88	82	8	700	CU	85	130	3
09	160	15	10	SCT	2985	85	81	4	1000	CU	83	140	4
10	160	15	10	SCT	2987	87	82	4	1400	CU	85	150	4
11	160	15	10	SCT	2988	87	82	4	1700	CU	85	160	4
12	135	10	10	SCT	2988	89	83	5	2100	CU	85	140	2
13	135	12	10	SCT	2988	89	83	5	2100	CU	85	140	2
14	145	10	10	SCT	2988	89	83	4	2100	CU	85	140	2
15	120	12	10	SCT	2988	90	83	5	2400	CU	85	120	2
16	145	17	10	SCT	2988	92	88	3	1700	CU	85	120	2
17	140	17	10	SCT	2988	91	89	3	1400	CU	85	110	2
18	100	21	10	SCT	2988	91	83	5	1400	CU	85	100	2
19	100	21	10	SCT	2988	91	83	5	1400	CU	85	100	3
20	135	14	10	SCT	2991	87	84	5	1000	CU	85	120	3
21	135	14	10	SCT	2993	85	82	2	1000	CU	85	130	3
22	135	14	10	SCT	2994	84	81	2	1000	CU	85	130	3
23	135	14	10	SCT	2997	84	81	2	1000	CU	85	130	3
24	135	14	10	SCT	2997	84	81	2	1000	CU	85	130	3

POSITION	ZONE	TIME
0800		
L 28-21.3N	BY	2+3
λ 128-01.2E	BY	2+3
1200		
L 28-54.6N	BY	1,2+3
λ 128-22.8E	BY	1,2+3
2000		
L 30-01.5N	BY	3
λ 129-23.5E	BY	3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 242.7

FUEL CONSUMED 0000-2400: 1448

REMARKS

00-04 STEAMING INDEPENDENTLY FROM NAHA, OKINAWA TO KAGOSHIMA, JAPAN IN ACCORDANCE WITH COM SEVENTH FLEET FIRST QUARTER FISCAL YEAR 1964 OPERATION SCHEDULE BASE COURSE 001°T BASE SPEED 8.9 KTS. MATERIAL CONDITION YOKE (MODIFIED) READINESS CONDITION V ENGINEERING CONDITION III DAMAGE CONTROL CONDITION III ARE SET

F M A Ostrom BMCA USN

04-08 Underway as before 0745 Tested ships whistle siren Chemical general and steering Alarm. Mustered crew on station absentees: ~~one~~ Maramag, Ormie (N) SN 48513 59 AWOL since 0745 18 July 1963.

Ens James Ensore

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: N S Nason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 19 (Date) JULY (Month) 10 63

0800-1200 UNDERWAY AS BEFORE 0800 C/C TO 035° 0805 MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CONDUCTING MAN OVERBOARD DRILL. 0816 C/C TO 035° S/S TO 9.5 KNTS. 0817 EXERCISED CREW AT GENERAL QUARTERS. 1055 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES AND WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM CONDITIONS NORMAL.

F E Horton LTJG USN

1200-1600 underway as before; 1507 c/s 8.9 Kts.

Jd Hollis, CWO, 2, USN

1600-1800 UNDER WAY AS BEFORE

J R Osborne BMC A USN

1800-2000 Underway as before

Jim Turner EM1 USN

2000-2400 UNDERWAY AS BEFORE. 2245 SIGHTED LIGHT BEARING 355°, 15 MILE. IDENTIFIED AS KUSAGAKI KAMINO JIMA LIGHT.

F E Horton
LTJG USN.

APPROVED: C C Reed LT U.S.N. COMMANDING

EXAMINED: R D Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9 I DATE SATURDAY 20 JULY (Day) (Date) (Month), 1963

AT/PASSAGE FROM NAHA, OKINAWA TO KAGOSHIMA, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	7	10	CLR	2997	83	80	—	—	—	85	030	1
02	070	7	10	CLR	2997	83	80	—	—	—	85	030	1
03	035	8	10	SCT	2998	83	80	3	1000	CU	85	040	1
04	060	10	10	SCT	2997	82	80	3	700	CU	85	045	1
05	065	5	10	SCT	2997	82	80	3	700	CU	85	CALM	
06	070	9	10	SCT	2997	83	79	3	1400	CU	85	CALM	
07	070	7	10	SCT	2998	83	80	3	1000	CU	85	CALM	
08	080	7	10	SCT	2998	85	80	3	1700	CU	85	CALM	
09	090	7	10	SCT	2998	86	81	3	1700	CU			
10	100	7	10	SCT	2999	88	83	3	1700	CU			
11	110	5	10	SCT	3000	90	85	2	1700	CU			
12	115	3	10	SCT	3000	90	85	3	1700	CU			
13	120	2	10	SCT	2999	89	84	4	1700	CU			
14	130	2	10	SCT	2998	89	84	4	1700	CU			
15	150	2	10	SCT	2997	88	83	3	1700	CU			
16	160	3	10	SCT	2995	87	82	4	1700	CU			
17	170	2	10	SCT	2995	86	81	2	1700	CU			
18	175	3	10	SCT	2996	85	80	3	1700	CU			
19	180	3	10	SCT	2995	83	78	3	1700	CU			
20	190	2	10	SCT	2995	82	77	4	1700	CU			
21	190	1	10	SCT	2996	81	76	3	1700	CU			
22	200	1	10	SCT	2995	80	75	5	1700	CU			
23	210	2	10	SCT	2996	79	73	3		CU			
24	200	1	8	SCT	2995	78	71	5	1700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 80

FUEL CONSUMED 0000-2400: 975

REMARKS

00-04 Steaming Independently from Naha, Okinawa to Kagoshima, Japan, IAW ComSeventhFlt First Quarter FY64 operation Schedule. Base course 035°, speed 8.9 kts. Condition zpke set. Readiness condition V set. Engineering and damage control condition III set. 0000 Kusagapi Shima light bearing 307 distance 25 3/4 miles. 0109 C/S 058°. 0117 lost sight of Kusagapi Shima light bearing 280° distance 24 miles. 0210 sighted Bono Jwitchi light bearing 069° distance 25 miles. 0300 sighted Sata misapi light Bearing 078° distance 21.5 miles. 0323 C/S 6.7 KTS. 0325 C/S all stop. 0324 C/S 5.9 KTS.

J.L. Hollis. CWO2, USN

04-08 UNDER WAY AS BEFORE SIGHTED AKA MIZUNANA LIGHT 0535 C/C 018°T 0548 C/C 029°T 0635 C/S 10.8 KTS. 0652 C/C 325°T 0745 QUARTERS FOR MUSTER; ABSENTEES: NONE

F.M. Osborne BMCA USN

APPROVED: C. Reed Lt U.S.N. COMMANDING

EXAMINED: R.D. Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 20 (Date) July (Month), 1963

08-12 Underway as before. 0810 Secured daily inspection of ~~spon~~ magazines and smokeless powder samples Conditions normal. 0822 C/C to 357°, 0825 C/S to 9.5 Kt, C/S to all stop. 0826 Set Special Sea and Anchor Detail. OOD has the Conn. Captain and Navigator on the bridge. C/C to 005, C/S to all back 40 rpm. 0827 all stop, Pilot boat CS 19 coming along starboard side. 0830 Pilot matsota boarded. 0832 C/S to 6.7 Kts, C/S to 9.5 Kts 0833 Medical inspectors came aboard from small boat. Commenced steering various courses at various speeds conforming with Kagoshima Harbor, and to anchor at Kagoshima Harbor.
0857 Let go starboard anchor in 13 Fathoms of water in sand bottom with 45 Fathoms of chain on deck. Anchored at Kagoshima Japan on the following bearings Red light 212°, Green light 325°, Chimney 303°

Chas Tanner Enl USN

12-16 Anchored as before.

Chas Tanner Enl USN

16-20 Anchored as before. 1747 pursuant of the orders of the Commanding Officer, Stafford, R.E. ETN3 5469060 USN and Mosher, D.E. 538 20771 SPF3 USN left the ship to report to Shore Patrol Headquarters for temporary duty. 1800 Set Material Condition Yoke modified.

Chas Tanner Enl USN

20-24 Anchored as before

Chas Tanner Enl USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Moon Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 I DATE Sunday (Day) 21 (Date) July (Month), 19 63

AT/PASSAGE FROM KAGOSHIMA JAPAN TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	200	1	8	SCT	2995	78	73	5	1700	CU			
02	190	1	7	H	2995	79	74	5	1750	CU			
03	190	1	7	H	2994	80	75	5	1750	CU			
04	190	1	7	H	2993	80	77	6	1000	CU			
05	190	1	9	H	2993	83	80	6	1000	CU			
06	190	1	8	H	2992	87	82	6	1750	CU			
07	190	1	9	H	2991	88	83	6	1750	CU			
08	190	3	10	SCT	2990	89	84	5	1750	CU			
09	190	4	10	SCT	2990	90	85	5	1750	CU			
10	180	5	10	SCT	2989	90	85	5	1750	CU			
11	200	6	10	SCT	2989	91	86	5	1750	CU			
12	200	7	10	SCT	2990	91	86	5	1750	CU			
13	200	7	10	SCT	2990	92	87	5	1750	CU			
14	165	7	10	SCT	2989	91	87	5	1400	CU			
15	170	7	10	BKN	2987	90	86	7	1400	CU			
16	180	6	10	BKN	2987	87	83	7	1400	CU			
17	190	6	10	BKN	2985	86	82	8	1400	CU			
18	190	6	10	BKN	2985	85	81	8	1400	CU			
19	180	6	10	BKN	2985	84	80	8	1400	CU			
20	170	5	10	BKN	2984	84	80	8	1400	CU			
21	175	5	10	BKN	2982	83	79	7	1400	CU			
22	170	6	10	BKN	2981	82	78	7	1400	CU			
23	165	5	10	BKN	2980	81	77	7	1400	CU			
24	160	6	10	BKN	2980	80	76	7	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 530

REMARKS

00-04 Anchored off Kagoshima Japan in 13 fathoms of water, using 45 fathoms of chain to starboard Anchor. Ships service genrator supplying electric power. Material condition Yoke modified is set. Ships present include merchant ships and small craft. SOPA is Commanding Officer USS ABNAKI ATF-96. 0100 Stafford R.E 5469060, ETN3 USN and MOSHIER D.E 5382077 SEP3 USN returned to the ship having completed temporary duty on Shore Patrol.

Wm Turner Ens USN

04-08 Anchored as before

Wm Turner Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ADNAKI ATF-96 SUNDAY (Day) 21 (Date) JULY (Month) 19 63

08-12 Anchored as before. 0800 mustered crew on stations, Absentees, Maraway, ormie (N) 485-13-59 Sn USN UA since 0745 18 July 1963. 1015 Made daily inspection of magazines and smakeless powder samples, conditions normal.

LE Horton
LTJG USN

12-16 Anchored as before. 1200 Commenced open house for Japanese students, 1545 secured open house, all visitors left the ship

LE Horton
LTJG USN

16-20 Anchored as before. 1730 pursuant to commanding officers orders, Rydenbark, J.L. 965-45-00 YN3 USN &, Brooks H.E. 520-08-71 EM2 USN and May, H.G Jr 540-12-34 AM3 USN departed for TD as shore patrol. 1800 Set material condition Yoke modified.

LE Horton
LTJG USN

20-24 Anchored as before

LE Horton
LTJG USN

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE Monday (Day) 22 (Date) July (Month), 1963

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	6	10	BKN	2980	80	76	7	1400	CU			
02	170	6	10	BKN	2980	81	77	7	1400	CU			
03	180	5	10	BKN	2980	81	77	7	1400	CU			
04	185	3	10	BKN	2979	83	79	7	1400	CU			
05	190	3	10	BKN	2979	85	82	7	1000	CU			
06	195	4	9	BKN	2978	87	83	7	1400	CU			
07	200	4	9	BKN	2978	88	84	7	1400	CU			
08	210	5	9	BKN	2980	89	84	8	1750	CU			
09	200	6	9	BKN	2982	89	84	8	1750	CU			
10	220	5	9	BKN	2982	90	84	8	2100	CU			
11	230	5	10	BKN	2982	90	84	8	2100	CU			
12	240	6	10	BKN	2983	91	85	7	2100	CU			
13	250	6	9	BKN	2983	92	85	7	2100	CU			
14	270	6	9	BKN	2983	91	85	6	2100	CU			
15	280	6	8	BKN	2983	90	84	6	2100	CU			
16	290	5	8	BKN	2985	90	84	5	2100	CU			
17	300	5	8	SCT	2985	89	83	5	2100	CU			
18	280	5	8	SCT	2986	87	81	5	2100	CU			
19	260	5	8	SCT	2986	87	81	5	2100	CU			
20	240	4	9	SCT	2986	86	81	4	1750	CU			
21	210	3	9	SCT	2987	86	81	4	1750	CU			
22	180	2	10	SCT	2986	85	80	4	1750	CU			
23	170	2	10	SCT	2987	85	80	4	1750	CU			
24	160	2	10	SCT	2987	85	80	3	1750	CU			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 414

REMARKS

00-04 Anchored, Kagoshima Japan in 13 fathoms of water with 45 fathoms of chain, with left breakwater light bearing 212° and right breakwater light bearing 328°. Modified material condition Yoke set. Ships present include various types merchant vessels and small craft. SOPA is Commanding Officer USS Abnaki (ATF-96). 0105 Rydenbary J.L. 965 45 00 4N2 USN, Brooks HE 520 08 71 EN2 USN, May HE 540 12 34 CM3 USN returned to the ship having completed temporary duty on shore patrol. J E Hoerter LTJG USN

04-08 ANCHORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES: ~~NONE~~ MARAMAG, ORMIE (N) SN 4851359 USN UA SINCE 0745 18 JULY 1963

J E Hoerter
LTJG USN.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 22 (Date) July (Month) 19 63

08-12. Anchored as before. *1015 ~~TES~~ made daily inspection of magazines and smokeless powder samples. conditions normal. Commanding officer left the ship to call officially on the on Prefecture Governor of Kagoshima.

P S Mason, Stg, USNR

12-16. ~~Moored~~ Anchored as before.

P S Mason, Stg, USNR

16-20 ~~Moored~~ Anchored as before. 1727 Pursuant to the orders of the commanding officer, E Waller, T (N) 283 83 07, DC2, USN in charge of two (2) men departed the ship to report to shore patrol Headquarters Kagoshima Police station, Kagoshima Japan. 1800 set material condition Yoke (Modified)

P S Mason, Stg, USNR

20-24 Anchored as before.

P S Mason, Stg, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: P S Mason Stg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE Tuesday (Day) 23 (Date) July (Month), 19 63

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	155	2	10	SCT	2987	85	80	3	1750	CU			
02	150	2	10	SCT	2986	85	80	3	1750	CU			
03	150	3	10	SCT	2985	83	78	4	1750	CU			
04	150	3	10	SCT	2985	83	78	4	1750	CU			
05	155	3	10	SCT	2985	86	81	4	1750	CU	83	160	1
06	160	4	10	SCT	2984	87	82	4	1750	CU	83	160	1
07	165	4	10	SCT	2984	88	83	4	1750	CU	83	160	1
08	160	4	10	SCT	2983	89	84	4	1750	CU	83	160	1
09	160	4	10	SCT	2983	89	84	3	1750	CU	83	160	1
10	170	4	10	SCT	2984	89	84	3	1750	CU	83	170	1
11	170	5	10	SCT	2985	90	85	3	1750	CU	83	140	2
12	180	5	10	SCT	2985	90	85	3	1750	CU	83	190	2
13	190	5	10	SCT	2985	90	85	4	1750	CU	83	200	2
14	200	5	10	SCT	2986	90	85	4	1750	CU	83	200	1
15	200	5	10	SCT	2986	89	84	5	1750	CU	83	200	1
16	200	4	10	SCT	2986	88	83	5	1750	CU	83	CALM	
17	180	4	10	SCT	2986	87	82	5	1750	CU	83	CALM	
18	170	3	10	SCT	2988	86	81	5	1750	CU	83	CALM	
19	170	2	10	SCT	2988	86	81	5	1750	CU	83	CALM	
20	170	1	10	SCT	2988	87	82	5	1750	CU	83	CALM	
21	155	1	10	SCT	2989	86	81	5	1750	CU	83	CALM	
22	—	—	10	SCT	2990	85	80	4	1750	CU	83	CALM	
23	—	—	10	SCT	2990	85	80	3	1750	CU	83	CALM	
24	—	—	10	SCT	2990	85	80	2	1750	CU	83	CALM	

POSITION	ZONE	TIME
0800 L	31-03.0N	BY 3
λ	130-28.4E	BY 3
1200 L	30 22.7N	BY 3
λ	129 48.3E	BY 3
2000 L	~~28-53.2N~~ ~~26-08.2N~~ 128-49E	BY 3
λ	~~127-36.4E~~	BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 248.8

FUEL CONSUMED 0000-2400: 2388

REMARKS

~~04-08~~.00-04 Anchored, Kagoshima, Japan, in 13 fathoms of water with 45 Fathoms of chain to the starboard anchor on the following bearings: Left break water Light 212, and Right breakwater 323°. Material condition Yoke (Modified) is set. Ships present include merchant ships of various nations, and small craft, SOPA is Commanding Officer, USS Abnaki (ATF-96). 0155 The shore patrol detail, Waller, T(N) 283 83 07 D.G.2 in charge returned to the ship.

R.D. Mason, Lt(jg), USNR

04-08 Anchored as before. 0446. Section 3 at anchor detail. 000 has the Com Captain and Navigator on the bridge. 0502 Anchors away, Underway IAW Commencement Ltr Quarterly Op schedule. Commenced maneuvering to clear anchorage. Draft forward 13'3" aft 16'6". 0505 Commenced steering various courses at various speeds while standing out of Kagoshima Harbor. 0515 C/C 155°, C/S 13.3 kts. 0518 C/C to 160°. 0604 C/C to 157°, 0633 C/C to 180° 0656 C/C to 232° 0745 Moored on station absentees. Marango, D.(N) 485 1354 UA. Since 0745 18 July 1963

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Mason, Lt(jg) U.S.N. NAVIGATOR

Ken Turner En USNR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 23 (Date) JULY (Month) 63

0812 UNDERWAY AS BEFORE 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL 1015 C/C TO 209°

J E Horton
LTJG USN

12-16 Under way as before: 1217 c/c 214°, 1320 c/c 218°, 1415 c/c 235°, ~~1432~~, 1425 c/c 250°, 1432 c/c 220°, 1524 c/c 222°,

J L Hollis CWO2 USN

16-18 UNDER WAY AS BEFORE

F A Lorme BMCA USN

18-20 Underway as before.

Lee Turner Ens USN

20-24 UNDERWAY AS BEFORE

J E Horton
LTJG USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Nason Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9- I DATE WEDNESDAY (Day) 24 (Date) JULY (Month), 1963

AT/PASSAGE FROM KAGOSHIMA, JAPAN TO NAHA, OKINAWA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	SCT	2990	85	80	2	1750	CU	83	CALM	
02	—	—	10	SCT	2990	85	80	4	1750	CU	83	CALM	
03	—	—	10	CLR	2988	84	80	—	—	—	83	CALM	
04	210	5	10	CLR	2988	83	80	—	—	—	83	CALM	
05	210	3	10	CLR	2988	83	80	—	—	—	84	CALM	
06	210	5	10	CLR	2987	83	80	—	—	—	84	CALM	
07	180	3	10	CLR	2988	82	80	—	—	—	84	CALM	
08	180	1	10	CLR	2988	83	80	—	—	—	84	CALM	
09	185	4	10	CLR	2988	86	81	—	—	—			
10	135	4	10	CLR	2988	85	83	—	—	—			
11	135	4	10	CLR	2988	85	83	—	—	—			
12	135	3	10	CLR	2987	85	83	—	—	—			
13	140	2	10	CLR	2987	87	84	—	—	—			
14	145	3	10	CLR	2987	90	83	—	—	—			
15	150	3	10	CLR	2987	88	82	—	—	—			
16	155	2	10	SCT	2987	87	81	3	2000	CU	86	CALM	
17	160	2	10	SCT	2987	87	81	3	2000	CU	86	CALM	
18	150	2	10	SCT	2987	86	81	3	2000	CU	86	CALM	
19	150	2	10	SCT	2987	85	80	3	2000	CU	86	CALM	
20	150	2	10	SCT	2987	84	80	3	2000	CU	86	CALM	
21	155	2	10	SCT	2987	84	80	2	2000	CU	86	CALM	
22	155	3	10	SCT	2987	84	80	2	2000	CU	86	CALM	
23	155	3	10	SCT	2987	84	79	3	2000	CU	86	CALM	
24	155	3	10	SCT	2987	84	79	2	2000	CU	86	CALM	

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L 26-08.2N	BY 3	
λ 127-36.4E	BY 3	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 158.5

FUEL CONSUMED 0000-2400: 1422

REMARKS

00-04 STEAMING INDEPENDENTLY FROM KAGOSHIMA, JAPAN, to NAHA, OKINAWA IAW COMSEVENTHFLT FIRST QUARTER FY'64 OPERATION SCHEDULE, BASE COURSE 209°, Spd 13.3 Kts. MATERIAL CONDITION YOKE (modified) set. READINESS CONDITION V, ENGINEERING AND DAMAGE CONTROL CONDITION III set. 0000 C/C 215°; 0035 C/C 220°, 0100 C/C 209°, TORI SHIMA ISLAND bearing 090°, 3,400 yards. 0200 lost RADAR CONTACT WITH TORI SHIMA ISLAND 13.5 miles, BEARING 040°T.

J. L. Hollis, CWO2, USN

04-08 UNDERWAY AS BEFORE 0517 C/C 181°T 0745 QUARTERS FOR MUSTER; ABSENTEE MARAMAG ORMIE 485-13-59 SN USN

F. H. Osborne BMC(A) USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. D. Mann Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 24 (Date) JULY (Month), 19 63

~~04-08 routine general alarms~~

0800-1200 UNDERWAY AS BEFORE. 0804 C/C TO 168° C/S TO 7 KNTS 0807 EXERCISED CREW AT GENERAL QUARTERS. 0901 SECURED FROM GENERAL QUARTERS.

J E Norton
LTJG USN.

08-12 Cont. Underway as before. 0925 Made inspection of magazine and smokeless powder samples. Conditions normal. 0933 C/C to 170, 0934 C/C to 176°. 0943 C/C to 185. 0947 C/S to 9.5 Kts 0949 C/C to 187°, 0950 C/C to 192°, 0951 C/C to 199, 0952 C/C to 125°, 0954 Set special Sea and Anchor detail, Captain and navigator on the bridge. OOD has the Conn. draft forward 13'3" Aft 16'6". 0955 Commenced steering various courses at various speeds conforming with Naha Harbor. 1008 Commenced maneuvering to go alongside pier. 1011 Moored starboard side to pier Six (6) Naha Okinawa using standard mooring lines doubled. Ships present included various US army harbor craft and merchant vessels.

Tom Turner Ens USN

12-16 Moored as before

Tom Turner Ens USN

16-20 Moored as before 1733 Muntered crew on Station absentees, Maranag Ornue (N) Sn 485-13-59 UA since 0745 18 July 1963. 1740 Set special sea and anchor detail. 1741 Captain and Navigator on the bridge. OOD has Conn. 1800 maneuvering to clear pier. 1803 UNS TOW CTG 54.4 message of 240002Z. to local ops area. 1804 Commenced steering various courses at various speeds ~~to~~ while standing out of Naha Harbor. 1824 C/C 233° C/S to 9.5 Kts Secured Special Sea and Anchor detail. 1828 C/S to 5.0 Kts, 1900 C/C to 170, 1927 C/C to 180°

Tom Turner Ens USN

20-24 Underway as before. 2100 C/C to 121°, 2153 C/C to 070

Tom Turner Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rasor, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9 I DATE Thursday (Day) 25 (Date) July (Month), 1963

AT/PASSAGE FROM NAHA, OKINAWA TO Local Ops. Area

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	155	3	10	SCT	2987	84	79	2	2000	CU	86	CALM	
02	155	3	10	SCT	2987	85	80	2	2000	CU	86	CALM	
03	160	3	10	SCT	2986	84	79	3	2000	CU	86	CALM	
04	160	4	10	SCT	2987	83	78	3	2000	CU	86	CALM	
05	170	5	10	SCT	2988	84	79	4	2000	CU	86	CALM	
06	170	5	10	SCT	2989	87	82	4	2000	CU	86	170	2
07	175	7	10	SCT	2990	88	83	4	2000	CU	86	175	1
08	175	7	10	SCT	2990	89	84	3	2000	CU	86	175	2
09	180	7	10	SCT	2990	89	84	2	2000	CU	86	180	2
10	180	5	10	SCT	2990	90	85	3	2000	CU	86	CALM	
11	190	3	10	SCT	2989	90	85	3	2000	CU	86	CALM	
12	200	3	10	SCT	2987	91	86	4	2000	CU	85	CALM	
13	210	3	10	SCT	2985	91	86	5	2000	CU	85	CALM	
14	210	3	10	SCT	2985	90	86	5	1400	CU	85	CALM	
15	210	2	10	SCT	2984	90	86	5	1400	CU	85	CALM	
16	200	2	10	SCT	2985	89	85	5	1400	CU	86	CALM	
17	190	2	10	SCT	2984	89	85	4	1400	CU	86	CALM	
18	190	3	10	SCT	2983	87	83	4	1400	CU	86	CALM	
19	185	4	10	SCT	2982	87	83	4	1400	CU			
20	195	5	10	SCT	2982	86	82	4	1400	CU			
21	180	5	7	SCT	2982	85	81	3	1400	CU			
22	180	6	7	SCT	2981	85	81	2	1400	CU			
23	180	6	7	SCT	2981	85	81	1	1400	CU			
24	180	6	5	CLR	2981	85	80	—	—	—			

POSITION	ZONE	TIME
0800		
L 26-20.2N	BY	4
λ 128-34 E	BY	4
1200		
L 26-27.3N	BY	1,2+4
λ 128-51.5E	BY	1,2+4
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 181.5

FUEL CONSUMED 0000-2400: 1094

REMARKS

00-04 UNDERWAY INDEPENDENTLY FROM NAHA, OKINAWA T. OP-AREA HOTEL-HOTEL IN ACCORDANCE WITH CTG 54.5 MESSAGE 190002Z OF JULY 1963. BASE COURSE 121°, BASE SPEED 5 KNOTS. MODIFIED MATERIAL CONDITION YOKE SET. READINESS CONDITION III, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET

J E Foster
LTJG USN.

04-08 Underway as before. 0506 lost sight of TSUKEN LIGHT bearing 268°; 0542 on station Hotel Hotel. 0614 C/S 235°, 0636 L 5° R- 0639 steady Lus. 070°; 0649 C/S 9.5 Kts. 0650 C/S 8.9 Kts. 0659 aircraft. (7 wiremen) on station. target out to 1300 feet. Commenced Exercise A-51-H- 0707 completed Exercise A-51-H. 0710 Commenced Exercise A-50-H, 0745 tested ships whistle, Siren, Chemical and

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: N D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 25 (Date) July (Month) 1963

(08-08 cont.) general alarms, Test Satisfactory. 0750 mustered the Crew on Stations, Absentees from MARMAG, D.R. HBS-13-79 SN, JJK USN. 0755 ~~44~~ 7 Wiarmen Completed A-50-U exercise. JJK

J.J. Hollis. CWO 2, USN

08-12 UNDERWAY AS BEFORE COMMENCE A-50-U 0841 COMPLETED A-50-U 0846 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES, CONDITIONS: NORMAL 0847 COMMENCE A-51-U 0920 COMPLETED A-51-U 1045 C/S ALL STOP C/S ALL BACK 1/3 1049 C/S ALL STOP C/S AHEAD 2/3 1050 C/S 8.9 KTS. L/R 5° 1052 R/R 5° 1055 R/R 10° C/C 280°T 1059 C/S 3.3 KTS. 1102 C/S ALL STOP 1103 L/R 15° MID SHIPS C/S BACK 1/3 1104 L/R 30° C/S ALL STOP 1106 C/S 6.7 KTS. C/S 8.9 KTS. 1107 C/C 250°T 1117 COMMENCED A-50-U

J.R. Delorme BMCA USN

12-16 Underway as before ~~1241~~ 1215 Commenc exercise RT A-51-U ~~with 1, 2 & 4 Elkhedge~~ 1240 Secured from exercise A-51-U. 1241 C/S to 3.3 KTS. 1335 C/S to 8.9 KTS, Commenced A-50-U ~~with~~ RT ~~with #1 Elkhedge aircraft.~~ 1422 Secured from exercise A-50-U 1423 C/S to 1.0 KT 1425 C/S to 6.7 KTS 1434 C/C to 070°; 1436 C/S to 1.7 KTS. 1448 C/S to 8.9 KTS. 1458 Commenced exercise A-51-U ~~on~~ 1515 C/C to 240°

Lee Turner En USN

16-18 Underway As Before 1622 C/S TO 3.3 KTS. C/S-A/S RETRIEVED TARGET BOWY. 1626 C/S TO 9.5 KTS. 1630 C/S TO 12.3 KTS. 1635 C/C TO 258° 1650 C/S TO 13.3 KTS.

J.E. Horton
LTJG USN.

18-20 Underway as before: 1856 C/C 263°, 1920 set the navigation detail. Made preparations for entering Buckner Bay Okinawa. 1923 C/S 6.7 KTS Set the anchor detail. 1928 C/S 12.3 KTS. 1932 C/C 225°; C/S 6.7 KTS. 1934 C/C 222°; 1935 C/C 220°; 1936 C/S 4.6 KTS., C/S 3.3 KTS. 1940 C/S all stop. Commenced maneuvering at various speeds & on various courses while anchoring. 1943 Anchored with 90 Fathoms of Chain at water edge to the Stbd. anchor, Sand bottom anchorage # L-99. on bearings - Gaina Lt. 318°, China Saki light 259.5, Tsugen Light, 009.5 1952 Secured the anchor & navigation detail and set the inport and Anchor watch

J.J. Hollis CWO 2, USN

20-24 ANCHORED AS BEFORE.

J.E. Horton LTJG USN

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: R.D. Mason Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE FRIDAY (Day) 26 (Date) JUNE (Month), 19 63

AT/~~PASSAGE FROM~~ BUCKNER BAY, OKINAWA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	180	6	7	CLR	2981	85	80	—	—	—			
02	180	7	7	CLR	2979	83	80	—	—	—			
03	180	7	7	CLR	2979	83	80	—	—	—			
04	210	6	7	SCT	2979	84	80	4	1400	CU			
05	210	6	7	SCT	2979	84	80	4	1400	CU			
06	200	6	7	SCT	2979	85	80	5	1750	CU			
07	230	5	10	SCT	2980	87	82	3	1750	CU	83	230	1
08	230	5	10	SCT	2980	90	83	3	2450	CU	83	230	1
09	195	4	10	SCT	2981	90	80	5	3600	CU	83	200	1
10	195	4	10	SCT	2981	90	80	5	3600	CU	83	200	1
11	210	7	10	SCT	2981	90	81	5	3250	CU			
12	210	9	10	SCT	2981	90	82	4	2800	CU			
13	210	9	8	SCT	2980	91	84	5	2450	CU			
14	210	3	8	SCT	2980	90	82	5	2800	CU			
15	210	4	8	SCT	2979	90	82	4	2800	CU			
16	210	5	8	SCT	2980	90	83	5	2450	CU			
17	210	5	8	SCT	2980	90	81	5	3250	CU			
18	210	4	7	SCT	2980	90	81	4	3250	CU			
19	210	4	7	SCT	2980	86	80	4	2800	CU			
20	210	4	7	SCT	2980	86	80	4	2800	CU			
21	210	4	7	SCT	2980	86	80	4	2400	CU			
22	210	4	7	SCT	2981	86	80	4	2400	CU			
23	210	4	7	SCT	2981	85	79	4	2400	CU			
24	210	4	7	SCT	2981	85	74	4	2400	CU			

POSITION	ZONE	TIME
0800		
L 26-07 N	BY	3
λ 127-53.7E	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 37.5

FUEL CONSUMED 0000–2400: 635

REMARKS

ØØ-04 ANCHORED, BUCKNER BAY, OKINAWA IN ANCHORAGE LIMA NINTY NINE (L-99). 22 FATHOM OF WATER WITH 90 FATHOM OF ANCHOR CHAIN WITH GAIMA LIGHT BEARING 219°, CAINA SAKI ~~LT~~ LIGHT BEARING 261°, AND SUGEN LIGHT BEARING 010°. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, AND YARD CRAFT. SOPA IS COMPATFLT SEVENTH IN USS PINE ISLAND. (AV-12) SEN

LE Horton
LTJG USN.

Ø4-Ø8 ~~Ø001~~ ANCHORED AS BEFORE. Ø650 STATIONED THE ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ~~HAS~~ ON THE BRIDGE OOD HAS THE CONN. Ø655 COMMENCED HEAVING IN TO SHORT STAY. Ø705 ANCHOR CHAIN AT SHORT STAY - 45 FATHOM ON DECK. Ø706 COMMENCED HEAVING UP ANCHOR. Ø710 ANCHOR AWEIGH MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH CHANNEL OUT OF BUCKNER BAY. Ø725 PASSED BOUY "BB" SEN SEA

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Rosen, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 26 (Date) JULY (Month), 1963

ΦH-Φ8 (CONT) ABEAM TO PORT APPROXIMATELY 2ΦΦ FT. Φ727 C/C TO 178° C/S TO 12.3 KNOTS. Φ74Φ C/C TO 224° Φ757 C/C TO 250

LE Harter
LTJG USN.

08-12 Underway as before. 0828 Mustered the crew on stations. Absentees: MARAMAG, O.R. 485-13-79, SN, USN U.A. since 0745 18 July 1963. 0831 Made daily inspection of Magazines and took pyro samples, Conditions normal. Made weekly test of the Magazine sprinkler system. Test Satisfactory. 0833 Exercised the Crew at man overboard drill, Commenced Maneuvering on various courses + Speeds while Conducting drill. 0840 steady on course 250°, speed 13.3 Kts. 0845 C/S 13.3 Kts. 0918 C/C 305°, 0938 C/S 000°, 1002 Sighted NAHA PORT Sea Buoy, bearing 020°, 1013 C/C 055°, 1019 Lt(jg) NASON has the decks and the Comm. C/S 6.7 Kts. 1020 000 Has the decks and the comm. 1021 C/C 020°, 1031 C/S 155°, 1032 set the special Sea and Anchor detail, made preparations for entering port, Commenced Steering Various courses and speeds while standing into NAHA port. Captain and Navigator on the Bridge. 1049 Captain has the Comm. 1053 moored stbd. side to Berth one (1). Naha port, Okinawa, using four std. lines doubled. 1103 Secured the special Sea and anchor detail and set the regular inport watch.

J.L. Hollis, CWO2, USN

12-16 MOORED AS BEFORE.

RS Mason

16-20 MOORED AS before. 1800 SET MATERIAL CONDITION YOKE (Modified). 2110 MARAMAG, ORMIE (N) 485-13-79 Returned TO THE SHIP HAVING been AWOL SINCE 0745 18 July 1963.
RS Mason.

20-24 Moored as before

RS Mason, Lgg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Lgg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION -9 DATE Saturday (Day) 27 (Date) July (Month), 1963

AT/PASSAGE FROM Naha, Okinawa TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	235	3	10	SCT	2980	84	78	2	2000	CU			
02	235	3	10	SCT	2981	84	78	2	2000	CU			
03	235	2	10	SCT	2981	84	78	1	2000	CU			
04	235	2	10	SCT	2981	83	77	1	2000	CU			
05	235	2	10	SCT	2981	83	77	1	2000	CU			
06	235	2	10	BKN	2982	83	77	6	2000	CU			
07	235	2	10	BKN	2985	86	80	6	2000	CU			
08	250	2	10	BKN	2986	88	82	7	2000	CU			
09	250	2	10	BKN	2986	91	85	7	2000	CU			
10	250	3	10	BKN	2989	92	86	7	2000	CU			
11	250	3	10	BKN	2989	92	86	7	2000	CU			
12	210	7	10	BKN	2989	91	85	7	2000	CU			
13	210	7	10	BKN	2989	90	84	7	2000	CU			
14	240	5	10	BKN	2989	89	83	7	2000	CU			
15	210	5	10	BKN	2989	89	83	7	2000	CU			
16	210	5	10	BKN	2989	89	83	7	2000	CU			
17	210	4	10	BKN	2989	89	83	7	2000	CU			
18	220	4	10	BKN	2989	88	82	7	2000	CU			
19	220	4	7	BKN	2989	88	82	7	2000	CU			
20	220	3	7	BKN	298	88	82	7	2000	CU			
21	210	3	7	BKN	2990	87	81	7	2000	CU			
22	215	4	7	BKN	2991	86	80	7	2000	CU			
23	225	3	7	BKN	2992	85	79	7	2000	CU			
24	235	3	7	BKN	2992	84	78	7	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

~~238~~ Ø

FUEL CONSUMED 0000-2400

238

REMARKS

00-04 Moored ~~Port~~ Starboard side to berth one, Naha, Okinawa with standard mooring lines doubled. Material condition Yoke (Modified) is set. Ships present include ~~U.S.~~ Units of the U.S. Pacific Fleet, U.S. Army craft, and merchant vessels of various nations. SOPA is ~~COMPATSEVEN~~ COMPATFORSEVENTHFLT embarked USS Pine Island (AV-12).

D R Mason, Flyg, USNR

04-08 Moored as before. ~~0800~~ 0745 Mustered the crew on stations. Absentees. None.

D R Mason, Flyg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D R Mason Flyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 27 (Date) July (Month), 19 63

08-12 moored as before. 0855 made daily inspection of magazines temperatures and smokeless powder samples. Conditions normal.

J.L. Hollis CWO2, USN

12-16 moored as before.

J.L. Hollis, CWO 2, USN

16-20 moored as before. 1890 set condition ysyk (modified). 1900 mustered the duty fire party, absentees. none.

J.L. Hollis. CWO-2, USN

20-24 moored as before.

J.L. Hollis. CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P D Rosen, Stgg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9- I DATE SUNDAY (Day) 28 (Date) JULY (Month), 1963

AT/~~PASSAGE FROM~~ NAHA, OKINAWA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	235	1	5	BKN	2992	85	78	7	2000	CU			
02	235	1	5	BKN	2992	83	77	7	2000	CU			
03	235	1	7	BKN	2993	83	77	7	2000	CU			
04	235	1	7	BKN	2993	85	79	7	2000	CU			
05	235	1	7	BKN	2992	86	80	7	2000	CU			
06	—	—	10	BKN	2993	88	82	7	2000	CU			
07	—	—	10	BKN	2993	90	84	7	2000	CU			
08	—	—	10	BKN	2993	92	86	7	2000	CU			
09	—	—	10	BKN	2993	91	85	8	2000	CU			
10	—	—	10	BKN	2993	88	82	8	2000	CU			
11	—	—	10	BKN	2993	88	82	9	2000	CU			
12	280	1	10	BKN	2993	90	84	8	2000	CU			
13	300	1	10	BKN	2992	89	83	8	2000	CU			
14	310	1	10	BKN	2993	88	82	7	2000	CU			
15	320	1	10	BKN	2993	89	83	7	2000	CU			
16	340	1	10	BKN	2993	88	82	6	2000	CU			
17	000	1	10	BKN	2993	89	83	6	2000	CU			
18	020	1	10	BKN	2993	89	83	6	2000	CU			
19	040	1	10	BKN	2993	88	82	6	2000	CU			
20	050	1	10	BKN	2993	87	81	6	2000	CU			
21	060	1	10	SCT	2993	86	80	5	2000	CU			
22	070	2	10	SCT	2992	85	79	5	2000	CU			
23	070	2	10	SCT	2991	84	78	5	2000	CU			
24	070	2	10	SCT	2992	84	78	5	2000	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 182

REMARKS

00-04 moored stbd. side to berth one (1) at NAHA, Okinawa, using spring and mooring lines doubled. Receiving telephone service from the pier. Condition zebra (modified) set. Ships present include various units of the USNS, U.S. army and U.S. and foreign merchantmen. S.O.P.A. is ~~COMPATRON SEVEN~~ COMDAT FORSEVENTHFLT EMBARKED in U.S.S. Price Island (AV-12).

J. L. Hallin, CWO2, USN

04-08 moored as before; 0800 mustered the crew on stations; absentees. none.

J. L. Hallin, CWO2, USN

APPROVED: C. Reed LT. U.S.N. COMMANDING

EXAMINED: R. R. Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 29 (Date) JULY (Month), 1963

0800-1200 Underway as before 0807 maneuvering to to moor pier 10. 0809 Moored portside to pier ten (10) Naha Okinawa using standard mooring lines doubled. Ships present include US Army small craft USNS ships and merchant vessels.

Ann Truman Ens USN

1200-1600 MOORED AS BEFORE. 1300 COMMANDING OFFICER HELD MAST AND IMPOSED THE FOLLOWING NON JUDICIAL PUNISHMENT: MARAMAG, ORMIE R. SN 485-13-79 USN OFFENSE: VIOLATION ARTICLE 86 UCMJ 86 UA FROM 0800 18 JULY 1963 TO 16 JULY 1963 A PERIOD OF APPROXIMATELY 8 DAYS PUNISHMENT: RESTRICTION TO THE SHIP FOR FOURTEEN DAYS AND EXTRA DUTY FOR 14 DAYS.

L E Hunter
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

L E Hunter
LTJG USN

2000-2400 MOORED AS BEFORE.

L E Hunter
LTJG USN

APPROVED: C Reed Lt U.S.N. COMMANDING

EXAMINED: P J Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE TUESDAY (Day) 30 (Date) JULY (Month), 19 63

AT/~~PASSAGE~~ FROM NAHA, OKINAWA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	2	3	BKN	2988	84	80	7	1000	CU			
02	010	2	3	BKN	2986	83	80	7	1000	CU			
03	015	2	3	BKN	2982	83	80	7	1000	CU			
04	015	3	3	R	2982	83	80	10	1000	CU			
05	015	3	4	R	2984	84	80	10	1000	CU			
06	015	3	5	OVC	2985	84	80	10	1000	CU			
07	015	2	6	OVC	2985	84	80	10	1000	CU			
08	015	1	7	OVC	2985	80	77	10	1000	CU			
09	015	1	7	OVC	2985	80	77	10	1000	CU			
10	015	2	7	OVC	2985	80	77	10	1000	CU			
11	015	3	7	OVC	2986	81	78	10	1000	CU			
12	015	3	7	OVC	2985	81	78	10	1000	CU			
13	015	3	7	BKN	2986	81	78	7	1000	CU			
14	015	3	7	BKN	2985	81	78	7	1000	CU			
15	020	4	7	BKN	2984	81	78	7	1000	CU			
16	020	4	7	BKN	2983	80	77	7	1000	CU			
17	025	4	7	BKN	2981	81	78	7	1000	CU			
18	025	2	8	BKN	2981	82	79	7	1000	CU			
19	025	3	5	BKN	2981	83	80	7	1000	CU			
20	025	2	5	BKN	2981	83	80	7	1000	CU			
21	025	3	5	BKN	2981	83	80	7	1000	CU			
22	025	1	3	BKN	2981	83	80	7	1000	CU			
23	025	1	3	BKN	2981	83	80	7	1000	CU			
24	025	1	3	BKN	2981	83	80	7	1000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 25-8

REMARKS

ØØ-Ø4 MOORED PORTSIDE TO IN BERTH TEN, NAHA OKINAWA WITH STANDARD MOORING LINES DOUBLED. MODIFIED ~~AT~~ MATERIAL SEC CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS U.S ARMY SMALL CRAFT AND MERCHANT VESSELS. SOPA IS COMPAT FORTSEVENTH ~~COMPAT SEVEN~~ IN USS PINE ISLAND (AV-12) AT BUCKNER BAY.

P E Hunter
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS: ~~ABSENTEES~~ NONE.

P E Hunter
LTJG USN.

APPROVED: C C Reid Lt U.S.N. COMMANDING

EXAMINED: R D Mason, Lt/jg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 30 (Date) JULY (Month), 19 63

08-12 MOORED AS before. 0750 MADE daily INSPECTION of MAGAZINE AND smokeless powder SAMPLES. CONDITIONS NORMAL.

RS Mason, Stgj, USNR

12-16. MOORED AS before.

RS Mason

16-20 MOORED AS before. 1800 SET MATERIAL CONDITION JOKE (Modified).

RS Mason, Stgj, USNR

20-24 MOORED AS before

RS Mason, Stgj, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Mason, Stgj U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION -9 T DATE Wednesday (Day) 31 (Date) Jul (Month), 19 1963

AT/~~PASSAGE FROM~~ Naha, Okinawa TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	025	1	3	BKN	2981	83	80	7	1000	Cu			
02	025	1	3	BKN	2981	83	80	6	1000	Cu			
03	020	1	3	BKN	2981	83	80	6	1000	Cu			
04	020	2	3	BKN	2981	83	80	6	2000	Cu			
05	020	2	3	BKN	2981	83	80	6	2500	Cu			
06	020	3	4	BKN	2982	84	80	6	2500	Cu			
07	020	3	4	BKN	2982	84	80	6	2500	Cu			
08	020	3	5	BKN	2982	85	80	6	2500	Cu			
09	020	3	5	BKN	2982	85	81	6	2500	Cu			
10	020	3	7	SCT	2982	86	82	4	2500	Cu			
11	020	3	7	SCT	2982	86	82	4	2500	Cu			
12	020	3	7	SCT	2982	86	82	4	2500	Cu			
13	020	3	7	SCT	2983	86	82	4	2500	Cu			
14	020	3	7	SCT	2983	87	82	4	2500	Cu			
15	020	3	7	SCT	2983	87	82	3	2500	Cu			
16	020	3	7	SCT	2983	86	82	3	2500	Cu			
17	020	2	7	SCT	2983	86	82	3	2500	Cu			
18	020	2	7	SCT	2983	85	82	3	2500	Cu			
19	020	2	6	SCT	2983	85	82	3	2500	Cu			
20	020	2	6	SCT	2983	85	81	3	2500	Cu			
21	020	2	4	SCT	2983	84	81	3	2500	Cu			
22	020	2	3	SCT	2983	84	81	3	2500	Cu			
23	020	2	3	SCT	2983	84	80	3	2500	Cu			
24	020	2	2	SCT	2983	83	79	3	2500	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED ~~AS before~~. PORT SIDE to PIER TEN NAHA, OKINAWA, with STANDARD MOORING LINES doubled. MATERIAL CONDITION YOKE (Modified) is SET. Ships PRESENT INCLUDE VARIOUS UNITS of the US. PACIFIC FLEET, U.S. ARMY CRAFT, AND MERCHANT VESSELS OF VARIOUS NATIONS. SOPA is COMPAT FOR SEVENTH FLT Embarked USS PINE ISLAND CAV-12

R D Mason, Lt(jg), USNR

04-08 MOORED AS before. 0600 COMMENCED making preparations FOR GETTING UNDERWAY. MUSTERED the CREW ON STATIONS, ABSENTEES NONE. 0609 COMPLETED MAKING PREPARATIONS FOR GETTING UNDERWAY. DRAFT 13'6" Fwd, 16'6" AFT. 0610 SET the SPECIAL SEA AND ANCHOR detail. CAPTAIN AND NAVIGATOR ON the BRIDGE
0704 UNDERWAY FOR OP-AREA, rendezvous pt point 26-36 N, 126-50 E in accordance with USS Abnaki MSG 290705Z AND VERBAL agreement with CTG 72.2 IN ORDER TO PROVIDE SPAR TOWING SERVICES.

R D Mason, Lt(jg), USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki CATF-96 WEDNESDAY (Day) 31 (Date) July (Month), 1963

04-08 (CONTINUED) 0705 Commenced maneuvering to clear the pier. 0715 Commenced steering various courses at various speeds while standing out of Naha harbor Channel. 0726 Secured Special Sea and Anchor detail. 0737 C/C 323°; 0738 C/C to 295°. 0745 Tested ships whistle Siren. General Chemical and steering Emergency alarms.

A B Turner Ens USNR

08-12 UNDERWAY AS BEFORE 0904 ~~RECEIVED~~ MADE DAILY MAGAZINE AND SMOKELESS POWDER SAMPLES INSPECTION: CONDITION NORMAL. 0905 C/C 297° 1009 SIGHTED TORI SHIMA 355°, 7.5 MILE 1017 C/S 6.8 KTS. C/S-A/S 1021 C/S A/A 8.9 KNTS. COMMENCED STREAMING TARGET. 1030 COMMENCED A-50-U AND A-51-U WITH PLANES OF VP-FOUR. 1136 C/C TO 120° FEH

R E Hoxter
LTJG, USN

12-16 UNDERWAY AS BEFORE. Conducting Hereises A-50, 51-U with VP-4 Aircraft. 1231 C/C 300°, 1304 C/S all stop, ~~3.3~~ Kts. Loss lube oil pressure to #3 main engine. 1306 C/S 6.7 Kts. 1307 C/S 8.9 Kts. 1334 C/C 120°; 1434 C/C 300°; 1448 C/C 120°, 1504 C/S 6.7 Kts. 1518 C/S 8.9 Kts. 1535 VP-4 aircraft completed Exercise A-50, 51-U. C/S 3.3 Kts. C/C 115°; Released from services by VP-4 - OCE. Commenced hoisting IN target. 1544 C/S all stop. 1548 target clamps aboard. C/S 9.8 Kts. 1549 C/S 12.3 Kts. 1551 C/S 12.8 Kts.

J. L. Hollis, CWO 2 USN

16-20 Underway as before. 1843 C/C to 140° 1857 C/C to 143°, 1903 C/C 150°. 1906 C/S to 6.7 Kts. 1908 C/S to 3.3 Kts 1955 Stationed special Sea and Anchor detail; Captain and navigator on the bridge. Captain has the Conn.

A B Turner Ens USNR

20-24 UNDERWAY AS BEFORE. 2000 C/C TO 100° COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH NAHA CHANNEL AND MOOR PORT SIDE TO PIER 10. 2022 MOORED PORT SIDE TO PIER 10 NAHA OKINAWA WITH STANDARD MOORING ~~LINES~~ LINES DOUBLED. SOPA is COMPAT SEVEN IN USS PINE ISLAND. FEH

F E Hoxter
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Tarr, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR